

Date:	2026-08-20T17:10:43Z	Product:	HP Latex 800	Serial Number:	
Firmware:	PLS_65_26_18.1	Product Number:	Y0U21A	Service ID:	32153
Upgrade Number:	0				

Current Media, Printhead and Ink Information

Paper Loaded Information		
Paper Path:	ROLL	Paper Loaded Status: OK
Media Type:	3M IJ180Cv3	
Media Width:	1370 mm / 54.0 inches	Media Length: 24169 mm / 951.5 inches

Paper Output Information		
Status	Model	Serial Number
TUR	16416	

Current Printhead Kit Info (I)					
	Warranty status	Service Code	Status	Error ID Code	Product Number
1 - Optimizer-Optimizer	on_warranty	ri7j0yPgDTkQ8rXYh/0tlQ==	OK	0	4UU94A
2 - Overcoat-Overcoat	out_of_warranty	lqsD8PWrxp52BIOufgQFQ==	OK	524288	4UV98A/4UU95A
3 - Black-Cyan	see_warranty_notes	XOFMcXkINHvkYXnANkUw9w==	OK	524288	4UV95A/4UU95A
4 - Black-Cyan	see_warranty_notes	v41V3Qj3dajFqnILknT+Cw==	OK	524288	4UV95A/4UU95A
5 - Light cyan-Light magenta	out_of_warranty	qB3iyuqlGC4ynKj4aRCZfw==	OK	524288	4UV97A/4UU95A
6 - Light cyan-Light magenta	out_of_warranty	HruxDi+b3YV/jBEUyi85MQ==	OK	524288	4UV97A/4UU95A
7 - Magenta-Yellow	see_warranty_notes	DLx5UvrCi2H0VlvPqN4Acw==	OK	524288	4UV96A/4UU95A
8 - Magenta-Yellow	see_warranty_notes	2wxfoKDVfV6L6tmjWyKC+Q==	OK	524288	4UV96A/4UU95A

Current Printhead Kit Info (II)				
	Product Name	Serial Number	Last insertion	Warranty Date
1 - Optimizer-Optimizer	HP 836	320204261510334	2026-07-21T18:06:58Z	2028-03-19T00:00:00Z
2 - Overcoat-Overcoat	HP 836	320426221412058	2024-11-04T20:54:39Z	2024-05-21T00:00:00Z
3 - Black-Cyan	HP 836	321021241646211	2026-06-22T21:25:35Z	2026-11-13T00:00:00Z
4 - Black-Cyan	HP 836	320506251526476	2026-06-22T21:25:36Z	2027-05-22T00:00:00Z
5 - Light cyan-Light magenta	HP 836	350909251305401	2026-02-25T23:14:18Z	2027-09-25T00:00:00Z
6 - Light cyan-Light magenta	HP 836	350909251544162	2026-02-25T23:14:19Z	2027-09-25T00:00:00Z
7 - Magenta-Yellow	HP 836	320829241151308	2026-01-26T22:48:37Z	2026-09-18T00:00:00Z
8 - Magenta-Yellow	HP 836	350813251104459	2026-01-26T22:48:38Z	2027-08-28T00:00:00Z

Current Printhead Kit Info (III)				
	Used non-HP ink	Used expired ink	Ink Used (cc)	Warranty Spent
1 - Optimizer-Optimizer	false	false	176.00	100%
2 - Overcoat-Overcoat	false	false	21504.00	100%
3 - Black-Cyan	false	true	176.00	23%
4 - Black-Cyan	false	true	169.00	75%
5 - Light cyan-Light magenta	false	false	4629.00	100%
6 - Light cyan-Light magenta	false	false	3696.00	100%
7 - Magenta-Yellow	false	true	8566.00	86%
8 - Magenta-Yellow	false	true	7324.00	100%

Current Printhead Kit Info (IV)			
	Usage Time (s)	Max. Recovery Level	Scan Axis Shutdown
1 - Optimizer-Optimizer	85217	3	0
2 - Overcoat-Overcoat	2571116	3	0
3 - Black-Cyan	141741	3	0
4 - Black-Cyan	141795	3	0
5 - Light cyan-Light magenta	913763	3	0
6 - Light cyan-Light magenta	918213	3	0
7 - Magenta-Yellow	1102509	3	0
8 - Magenta-Yellow	1102215	3	0

Current Ink Cartridge Info (I)						
	Status	Product Name	Product Number	Serial Number	Service Code	Install Date
1 - Cyan	Very low level	HP 873	4UV85A	520250123152947	ZCx6PU9v06R5fxg3Z8uVTg==	2026-03-12T00:00:00Z
2 - Magenta	Expired	HP 873	4UV86A	520250217144154	C9RzIZsOtG6uUOIKo94Ww==	2026-05-14T00:00:00Z
3 - Yellow	OK	HP 873	4UV87A	590250407111827	hDO7O4XiBOHdNyF+HAod3w==	2026-05-21T00:00:00Z
4 - Black	OK	HP 873	4UV84A	590251209205550	/1b/1S2rzR4RHK1XpjKz1g==	2026-05-28T00:00:00Z
5 - Light cyan	OK	HP 873	4UV88A	520250227013822	gUbTIVYEfp3mWajG31dVLg==	2026-03-05T00:00:00Z
6 - Light magenta	OK	HP 873	4UV89A	520250830013310	fRHJo7hwDyugFEQpRztSvw==	2026-05-07T00:00:00Z
7 - Optimizer	Low level	HP 873	4UV90A	530250511191632	XJSnnR5nf4aJmIRKr4DZdA==	2026-04-30T00:00:00Z
8 - Overcoat	Low level	HP 873	4UV91A	520250510004705	LD23RMwsCmhuvujpWUpg1Q==	2026-05-14T00:00:00Z

Current Ink Cartridge Info (II)						
	Expiration Date	End of warranty	Manufacturer	Capacity (cc)	Level (cc)	Used non-HP Ink
1 - Cyan	2026-07-23T15:29:49Z	2026-07-23T15:29:49Z	HP	3000	150	false
2 - Magenta	2026-08-17T14:41:57Z	2026-08-17T14:41:57Z	HP	3000	1440	false
3 - Yellow	2026-10-05T11:18:28Z	2026-10-05T11:18:28Z	HP	3000	1950	false
4 - Black	2027-06-15T20:55:51Z	2027-06-15T20:55:51Z	HP	3000	2280	false
5 - Light cyan	2026-08-27T01:38:24Z	2026-08-27T01:38:24Z	HP	3000	630	false
6 - Light magenta	2027-02-27T01:33:12Z	2027-02-27T01:33:12Z	HP	3000	2310	false
7 - Optimizer	2026-11-08T19:16:35Z	2026-11-08T19:16:35Z	HP	3000	450	false
8 - Overcoat	2026-11-07T00:47:07Z	2026-11-07T00:47:07Z	HP	3000	300	false

Printer Usage Information

Printer Usage			
Total printed media:	30445925.36sqi/13980.14m	Total number of prints:	5975

Usage per Printhead Slot			
	Color	Product Number	Total Insertions
Slot 0	Optimizer-Optimizer	4UU94A	12
Slot 1	Overcoat-Overcoat	4UV98A/4UU95A	4
Slot 2	Black-Cyan	4UV95A/4UU95A	5

Slot 3	Black-Cyan	4UV95A/4UU95A	7	1
Slot 4	Light cyan-Light magenta	4UV97A/4UU95A	4	1
Slot 5	Light cyan-Light magenta	4UV97A/4UU95A	7	1
Slot 6	Magenta-Yellow	4UV96A/4UU95A	4	1
Slot 7	Magenta-Yellow	4UV96A/4UU95A	6	1

Usage per Cartridge Slot			
	Product Number	Usage (cc)	Total Insertions
0 - Cyan	4UV85A	35955.16	109
1 - Magenta	4UV86A	57253.00	116
2 - Yellow	4UV87A	58134.75	95
3 - Black	4UV84A	45006.51	22
4 - Light cyan	4UV88A	30602.71	13
5 - Light magenta	4UV89A	31610.85	10
6 - Overcoat	4UV91A	80771.69	99
7 - Optimizer	4UV90A	43521.92	89
8 - Yellow		0.57	0
9 - Optimizer		0.51	0
10 - Light magenta		0.24	0
11 - Light cyan		0.58	0
12 - Cyan		0.76	0
13 - Overcoat		0.71	0
14 - Magenta		1.98	0
15 - Cyan	n/a	0.00	0
16 - Cyan	4UV55A	0.00	0
17 - Cyan	4UV39A	0.00	0
18 - Magenta	n/a	0.00	0
19 - Magenta	4UV94A	0.00	0
20 - Magenta	4UV56A	0.00	0
21 - Magenta	4UV40A	0.00	0
22 - Yellow	n/a	0.00	0
23 - Yellow	4UV57A	0.00	0
24 - Yellow	4UV41A	0.00	0
25 - Black	n/a	0.00	0
26 - Black	4UV54A	0.00	0
27 - Black	4UV38A	0.00	0
28 - Light cyan	n/a	0.00	0
29 - Light cyan	B1PS3A	0.00	0
30 - Light cyan	4UV58A	0.00	0
31 - Light magenta	n/a	0.00	0
32 - Light magenta	B1PS4A	0.00	0
33 - Light magenta	4UV59A	0.00	0
34 - Optimizer	n/a	0.00	0
35 - Optimizer	B1PS5A	0.00	0
36 - Optimizer	4UV60A	0.00	0
37 - Overcoat	n/a	0.00	0
38 - Overcoat	B1PS6A	0.00	0

39 - Overcoat	4UV61A	0.00	0
---------------	--------	------	---

Media Usage per Media Type	
Generic Backlit Self-Adhesive Vinyl	3630.64sqi/1.70m
Generic Backlit Paper	40351.19sqi/18.96m
HP Backlit Polyester Film	86597.56sqi/40.70m
Generic Backlit Polyester Film	45611.67sqi/21.43m
3M IJ180Cv3	21824522.95sqi/9961.48m
3M IJ35-10 NO OC	137113.28sqi/64.46m
3M IJ35-10	8308098.07sqi/3871.40m

Component Usage					
150LMaintenanceInkConsumed	114052044ul	450LMaintenanceInkConsumed	383950032ul	900LMaintenanceInkConsumed	383950032ul
BeltScanAxisCycles	2309970int	BeltTensionerScanAxisCycles	575970int	BushingsScanAxisCycles	2309970int
CableScanAxisCycles	2309970int	CarriageBearingsScanAxisCycles	2309970int	CleanPlasticNeedlesWorkingTime	0h
CleanPlatenInkConsumed	1871032ul	ColorCalibrationExecutions	12int	ColorSensorWorkingTime	0h
CuringCleaningInkConsumed	114052044ul	CuringHeatersInkConsumed	383950032ul	CutterAndLinearBladeLength	1041m
CutterAndLinearBladeScanAxisCycles	362int	DriveRollerPaperLength	26302m	DropDetectorWorkingTime	8h
EncoderStripCleaningInkConsumed	1871032ul	EncoderStripCleaningMcReplace	1int	EncoderStripInkConsumed	383950032ul
MotorScanAxisCyclesS	2309970int	OilCarriageRodScanAxisCycles	24770int	OilerReplaceInkConsumed	1871032ul
OilerReplacementScanAxisCycles	24770int	PaperDriveMotorPaperLength	26302m	PensOnOffCycles	89160int
PinchWheelDistance	18542m	PixartMediaAdvanceLength	24852m	PluggedTime	36370h
PowerOffCycles	0int	PowerOnCycles	138int	RecirculationCoverInkConsumed	383950032ul
RollSwitchesNumber	0int	ScanAxisCoveredDistance	4609390m	SleepingTime	31870h
SvsCycles	405726int	TetrisSensorWorkingTime	0h	TotalInkConsumed	383950032ul
TubesScanAxisCycles	2309970int	WhiteInkConsumed	0ul	WorkingTime	1158h
InkSupplyInsertions_Slot_1	79int	InkSupplyInsertions_Slot_2	79int	InkSupplyInsertions_Slot_3	92int
InkSupplyInsertions_Slot_4	92int	InkSupplyInsertions_Slot_5	87int	InkSupplyInsertions_Slot_6	87int
InkSupplyInsertions_Slot_7	84int	InkSupplyInsertions_Slot_8	84int	InkSupplyInsertions_Slot_9	76int
InkSupplyInsertions_Slot_10	76int	InkSupplyInsertions_Slot_11	76int	InkSupplyInsertions_Slot_12	76int
InkSupplyInsertions_Slot_13	92int	InkSupplyInsertions_Slot_14	92int	InkSupplyInsertions_Slot_15	91int
InkSupplyInsertions_Slot_16	91int	InkSupplyInsertions_Total	1354int		

Preventive Maintenance Usage	
	Usage
lCarriage rod cleaning and lubricationl	0%
l100 L maintenancel	1%
l50 L maintenancel	3%
l150L service maintenance - HP Latex 800l	76%
l450L service maintenance - HP Latex 800l	85%

Job Accounting

Date	Job Name	Optimized for	Image Quality
2026-08-19T05:49:04Z	Service - maintenance	Images	Normal
2026-08-19T09:55:04Z	Service - maintenance	Images	Normal
2026-08-19T14:01:04Z	Service - maintenance	Images	Normal
2026-08-19T18:07:06Z	Service - maintenance	Images	Normal

2026-08-19T20:02:02Z	Service - NOZZLE_HEALTH	Images	Normal
2026-08-20T00:05:19Z	Service - maintenance	Images	Normal
2026-08-20T04:11:43Z	Service - maintenance	Images	Normal
2026-08-20T08:18:08Z	Service - maintenance	Images	Normal
2026-08-20T12:24:33Z	Service - maintenance	Images	Normal
2026-08-20T16:30:58Z	Service - maintenance	Images	Normal

Calibrations

General Calibrations	
Type	Status
ALIGNMENT	VALID
LS2K	VALID
DROP_DETECTOR	VALID
ANALOG_ENCODER	VALID

Media Calibrations						
Name	Color	Color Date	Advance	Advance Date	Length	Length Date
Generic Canvas	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Dual Side Banner	NOT_AVAILABLE		PENDING		PENDING	
HP Photo Realistic	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC free Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Blueback Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Coated Paper (more than 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Uncoated Paper (up to 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Cast Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Textile	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Textile	NOT_AVAILABLE		PENDING		PENDING	
Stretchable Textile (up to 5%)	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Non-Woven	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Woven	NOT_AVAILABLE		PENDING		PENDING	
HP Backlit Polyester Film	NOT_AVAILABLE		CANCELLED		PENDING	
3M IJ35-10	OBSOLETE	2024-01-30T06:07:05Z	PENDING		PENDING	

3M IJ180Cv3_w/OC	PENDING		PENDING	PENDING
3M IJ35-10 NO OC	PENDING		PENDING	PENDING
3M IJ180Cv3	VALID	2026-08-06T20:15:02Z	PENDING	PENDING

Event Logs

System Errors				
Severity	Error Code		F/W Version	Date
System Warnings				
Severity	Error Code		F/W Version	Date
information	0022-0008-0288		PLS_65_26_18.1	20260817150133
information	0022-0008-0288		PLS_65_26_18.1	20260817145017
information	0022-0012-0440		PLS_65_26_18.1	20260808030440
information	0022-0012-0140		PLS_65_26_18.1	20260808030440
information	0022-0012-0440		PLS_65_26_18.1	20260804023831
warning	0065-0002-0008		PLS_65_26_18.1	20260803221313
warning	0065-0002-0008		PLS_65_26_18.1	20260803215249
information	0065-0040-0016		PLS_65_26_18.1	20260803215237
information	0022-0012-0140		PLS_63_25_47.1	20260723223119
information	0022-0008-0188		PLS_63_25_47.1	20260723161527
information	0022-0008-0188		PLS_63_25_47.1	20260723154243
information	0065-0040-0016		PLS_63_25_47.1	20260622212513
information	0065-0040-0016		PLS_63_25_47.1	20260622211437
information	0065-0040-0016		PLS_63_25_47.1	20260622203057
information	0065-0040-0016		PLS_63_25_47.1	20260602052338
information	0022-0008-0481		PLS_63_25_47.1	20260602010355
information	0022-0008-0487		PLS_63_25_47.1	20260602010353
information	0065-0040-0016		PLS_63_25_47.1	20260601222703
information	0065-0040-0016		PLS_63_25_47.1	20260531150415
information	0065-0040-0016		PLS_63_25_47.1	20260522042025

Connectivity Configuration

```
=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
  URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
  Status: STATUS_DISABLED
  Error: DETAIL_DISABLED
  Action: ACTION_NOTHING
```

Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
Status: STATUS_OK
Error: DETAIL_OK
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
Status: STATUS_OK
Error: DETAIL_OK
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY

=====
Automatic Firmware Update
=====
URL: <http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw>
Firmware Update Check: Automatic
Firmware Update Download: Automatic

=====
Internet Printing Protocol
=====
IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

=====
Jetdirect Page
=====

General Information		TCP/IP	
Status:	I/O Card Ready	IPv4:	Enabled
		IPv6:	Disabled
Model Number:	J8022E	Host Name:	SQFT-HP-801
Hardware Address:	48BA4EBD3909	IPv4 Domain Name:	Not Specified
Firmware Version:	x86_vega_fi.DRB	IPv6 Domain Name:	Not Specified
LAA:	48BA4EBD3909	Primary DNS Server:	172.19.254.1
Port Config:	1000T FULL	Secondary DNS Server:	Not Specified
Auto Negotiation:	On	DNS(IPv6):	Not Specified
Manufacturing ID:	*****00****-W		
Build Date:	02/24/2026 11:14:20	WINS Server:	Not Specified
		TCP Idle Timeout:	3600 sec
----- Security Settings -----		----- IPv4 -----	
802.1X:	Not Specified	Status:	Ready
IPsec:	Disabled		
Secure Web:	HTTPS Optional	IP Address:	172.19.254.181
Cert Expires:	2026-10-14 13:26 UTC	Subnet Mask:	255.255.255.0
SNMP Versions:	1;2	Default Gateway:	172.19.254.1
SNMP Set Cmty Name:	Not Specified	Config By:	Manual
SNMP Get Cmty Name:	Not Specified/Default	BOOTP/DHCP Server:	Not Specified
Access List:	Not Specified	TFTP Server:	Not Specified
Admin Password:	Not Specified	Bonjour Service Name:	
FIPS:	Disabled	HP Latex 800 [BD3909]	
----- Network Statistics -----		----- IPv6 -----	
Total Packets Received:	10983958	Status:	Disabled
Unicast Packets Received:	8616788		
Bad Packets Received:	0		
Total Packets Transmitted:	10178389		
Framing Errors Received:	0		
Unsendable Packets:	0		
Transmit Collisions:	0		
Transmit Late Collisions:	0		