

Date:	2026-08-20T17:11:39Z	Product:	HP Latex 800	Serial Number:	
Firmware:	PLS_65_26_18.1	Product Number:	Y0U21A	Service ID:	32153
Upgrade Number:	0				

Current Media, Printhead and Ink Information

Paper Loaded Information			
Paper Path:	ROLL	Paper Loaded Status:	OK
Media Type:	3M IJ180Cv3		
Media Width:	1524 mm / 60.0 inches	Media Length:	86934 mm / 3422.6 inches

Paper Output Information		
Status	Model	Serial Number
TUR	16416	

Current Printhead Kit Info (I)					
	Warranty status	Service Code	Status	Error ID Code	Product Number
1 - Optimizer-Optimizer	on_warranty	8YnaVe80WWo5QVNGLfZOcw==	OK	0	4UU94A
2 - Overcoat-Overcoat	out_of_warranty	rWkPDCwkVK+HuVWSh5Lmdw==	OK	524288	4UV98A/4UU95A
3 - Black-Cyan	out_of_warranty	S5rAvHXp3bGUB8vFMjUs+Q==	OK	524288	4UV95A/4UU95A
4 - Black-Cyan	out_of_warranty	cpEOZMHGcKU36MphpVdCsQ==	OK	524288	4UV95A/4UU95A
5 - Light cyan-Light magenta	out_of_warranty	VHjpL0RPdq+wZqrJ6JQQvA==	OK	524288	4UV97A/4UU95A
6 - Light cyan-Light magenta	out_of_warranty	2o/sqxUD5RNxTQTClI8fQ==	OK	524288	4UV97A/4UU95A
7 - Magenta-Yellow	out_of_warranty	GWoXTXFcNqhT4CYwuEnIWw==	OK	524288	4UV96A/4UU95A
8 - Magenta-Yellow	out_of_warranty	gMdFOy+qN8RLfoia4PwYVg==	OK	524288	4UV96A/4UU95A

Current Printhead Kit Info (II)				
	Product Name	Serial Number	Last insertion	Warranty Date
1 - Optimizer-Optimizer	HP 836	321201252025187	2026-08-18T18:29:20Z	2027-12-18T00:00:00Z
2 - Overcoat-Overcoat	HP 836	320504231023546	2026-05-22T23:35:42Z	2025-05-14T00:00:00Z
3 - Black-Cyan	HP 836	350813250234400	2026-05-22T23:35:43Z	2027-08-28T00:00:00Z
4 - Black-Cyan	HP 836	320506251536287	2026-05-22T23:35:44Z	2027-05-22T00:00:00Z
5 - Light cyan-Light magenta	HP 836	350719251220287	2026-05-22T23:35:45Z	2027-07-31T00:00:00Z
6 - Light cyan-Light magenta	HP 836	350909251248001	2026-01-26T23:02:45Z	2027-09-25T00:00:00Z
7 - Magenta-Yellow	HP 836	320801230001214	2024-07-26T01:17:29Z	2025-08-13T00:00:00Z
8 - Magenta-Yellow	HP 836	320731232103593	2024-09-07T17:38:33Z	2025-08-13T00:00:00Z

Current Printhead Kit Info (III)				
	Used non-HP ink	Used expired ink	Ink Used (cc)	Warranty Spent
1 - Optimizer-Optimizer	false	false	307.00	100%
2 - Overcoat-Overcoat	false	false	8967.00	100%
3 - Black-Cyan	false	false	3611.00	100%
4 - Black-Cyan	false	false	2896.00	75%
5 - Light cyan-Light magenta	false	false	1794.00	95%
6 - Light cyan-Light magenta	false	false	4600.00	100%
7 - Magenta-Yellow	false	false	21137.00	100%
8 - Magenta-Yellow	false	false	21137.00	100%

Current Printhead Kit Info (IV)			
	Usage Time (s)	Max. Recovery Level	Scan Axis Shutdown
1 - Optimizer-Optimizer	28910	0	0
2 - Overcoat-Overcoat	460686	3	0
3 - Black-Cyan	460866	3	0
4 - Black-Cyan	455003	3	0
5 - Light cyan-Light magenta	461585	3	0
6 - Light cyan-Light magenta	1144371	3	0
7 - Magenta-Yellow	2942225	3	0
8 - Magenta-Yellow	2855465	3	0

Current Ink Cartridge Info (I)						
	Status	Product Name	Product Number	Serial Number	Service Code	Install Date
1 - Cyan	OK	HP 873	4UV85A	520250504100235	ciT2gX4ftfs2TiMwkljbXg==	2026-08-13T00:00:00Z
2 - Magenta	OK	HP 873	4UV86A	530250315231434	fpsBhT9BEZZ9jy7L5cgnAw==	2026-05-07T00:00:00Z
3 - Yellow	OK	HP 873	4UV87A	520250721220814	cReGfmBZW+MRCIoOVgRNRg==	2026-07-23T00:00:00Z
4 - Black	OK	HP 873	4UV84A	530250831090630	vZDICU9l8qwP5z+CdxDDNw==	2026-05-28T00:00:00Z
5 - Light cyan	OK	HP 873	4UV88A	530250226220721	MqmkEDqbakNTIAORq+CLkw==	2026-07-23T00:00:00Z
6 - Light magenta	Low level	HP 873	4UV89A	520250719053059	52cA5gq4qPblsJaftE6rjA==	2026-03-05T00:00:00Z
7 - Optimizer	OK	HP 873	4UV90A	530250225101818	1kIyXKUJvt0LM9c3L1tx2Q==	2026-05-28T00:00:00Z
8 - Overcoat	OK	HP 873	4UV91A	590260126124612	IcRfqCL/Zqz3M9kxWWIw8A==	2026-07-23T00:00:00Z

Current Ink Cartridge Info (II)						
	Expiration Date	End of warranty	Manufacturer	Capacity (cc)	Level (cc)	Used non-HP Ink
1 - Cyan	2026-11-01T10:02:37Z	2026-11-01T10:02:37Z	HP	3000	2460	false
2 - Magenta	2026-09-12T23:14:36Z	2026-09-12T23:14:36Z	HP	3000	1050	false
3 - Yellow	2027-01-18T22:08:17Z	2027-01-18T22:08:17Z	HP	3000	2520	false
4 - Black	2027-02-28T09:06:32Z	2027-02-28T09:06:32Z	HP	3000	1320	false
5 - Light cyan	2026-08-26T22:07:23Z	2026-08-26T22:07:23Z	HP	3000	2790	false
6 - Light magenta	2027-01-16T05:31:01Z	2027-01-16T05:31:01Z	HP	3000	390	false
7 - Optimizer	2026-09-01T10:18:20Z	2026-09-01T10:18:20Z	HP	3000	750	false
8 - Overcoat	2027-07-26T12:46:13Z	2027-07-26T12:46:13Z	HP	3000	1500	false

Printer Usage Information

Printer Usage			
Total printed media:	34359582.05sqi/15780.93m	Total number of prints:	5305

Usage per Printhead Slot				
	Color	Product Number	Printheads Used	Total Insertions
Slot 0	Optimizer-Optimizer	4UU94A	12	1
Slot 1	Overcoat-Overcoat	4UV98A/4UU95A	4	1
Slot 2	Black-Cyan	4UV95A/4UU95A	7	1

Slot 3	Black-Cyan	4UV95A/4UU95A	8	1
Slot 4	Light cyan-Light magenta	4UV97A/4UU95A	5	1
Slot 5	Light cyan-Light magenta	4UV97A/4UU95A	3	1
Slot 6	Magenta-Yellow	4UV96A/4UU95A	4	3
Slot 7	Magenta-Yellow	4UV96A/4UU95A	5	1

Usage per Cartridge Slot			
	Product Number	Usage (cc)	Total Insertions
0 - Cyan	4UV85A	45135.66	22
1 - Magenta	4UV86A	64868.86	25
2 - Yellow	4UV87A	63435.75	25
3 - Black	4UV84A	57409.94	27
4 - Light cyan	4UV88A	31973.98	16
5 - Light magenta	4UV89A	34383.51	22
6 - Overcoat	4UV91A	81318.24	26
7 - Optimizer	4UV90A	51896.29	19
8 - Yellow		1.31	0
9 - Black		1.05	0
10 - Magenta		0.53	0
11 - Light magenta		0.49	0
12 - Overcoat		1.31	0
13 - Light cyan		0.22	0
14 - Optimizer		0.15	0
15 - Cyan		0.97	0
16 - Cyan	n/a	0.00	0
17 - Cyan	4UV55A	0.00	0
18 - Cyan	4UV39A	0.00	0
19 - Magenta	n/a	0.00	0
20 - Magenta	4UV94A	0.00	0
21 - Magenta	4UV56A	0.00	0
22 - Magenta	4UV40A	0.00	0
23 - Yellow	n/a	0.00	0
24 - Yellow	4UV57A	0.00	0
25 - Yellow	4UV41A	0.00	0
26 - Black	n/a	0.00	0
27 - Black	4UV54A	0.00	0
28 - Black	4UV38A	0.00	0
29 - Light cyan	n/a	0.00	0
30 - Light cyan	B1PS3A	0.00	0
31 - Light cyan	4UV58A	0.00	0
32 - Light magenta	n/a	0.00	0
33 - Light magenta	B1PS4A	0.00	0
34 - Light magenta	4UV59A	0.00	0
35 - Optimizer	n/a	0.00	0
36 - Optimizer	B1PS5A	0.00	0
37 - Optimizer	4UV60A	0.00	0
38 - Overcoat	n/a	0.00	0

39 - Overcoat	B1PS6A	0.00	0
40 - Overcoat	4UV61A	0.00	0

Media Usage per Media Type			
Generic PVC Banner		14144.29sqi/5.68m	
Generic Self-Adhesive Vinyl		5702.28sqi/2.64m	
Generic Backlit Paper		129991.31sqi/61.08m	
3M IJ180Cv3 w/OC		134701.38sqi/56.99m	
HP Backlit Polyester Film		53561.65sqi/22.41m	
3M IJ180Cv3		24365957.01sqi/11142.51m	
3M IJ35-10		9655524.13sqi/4489.61m	

Component Usage					
150LMaintenanceInkConsumed	136159599ul	450LMaintenanceInkConsumed	431549599ul	900LMaintenanceInkConsumed	431549599ul
BeltScanAxisCycles	2627396int	BeltTensionerScanAxisCycles	1118396int	BushingsScanAxisCycles	2627396int
CableScanAxisCycles	2627396int	CarriageBearingsScanAxisCycles	2627396int	CleanPlasticNeedlesWorkingTime	0h
CleanPlatenInkConsumed	63479591ul	ColorCalibrationExecutions	12int	ColorSensorWorkingTime	0h
CuringCleaningInkConsumed	136159599ul	CuringHeatersInkConsumed	431549599ul	CutterAndLinearBladeLength	783m
CutterAndLinearBladeScanAxisCycles	245int	DriveRollerPaperLength	27273m	DropDetectorWorkingTime	2h
EncoderStripCleaningInkConsumed	63479591ul	EncoderStripCleaningMcReplace	6int	EncoderStripInkConsumed	217779590ul
MotorScanAxisCyclesS	2627396int	OilCarriageRodScanAxisCycles	379696int	OilerReplaceInkConsumed	63479591ul
OilerReplacementScanAxisCycles	379696int	PaperDriveMotorPaperLength	27273m	PensOnOffCycles	82950int
PinchWheelDistance	16573m	PixartMediaAdvanceLength	25573m	PluggedTime	35797h
PowerOffCycles	0int	PowerOnCycles	174int	RecirculationCoverInkConsumed	431549599ul
RollSwitchesNumber	0int	ScanAxisCoveredDistance	5243360m	SleepingTime	31248h
SvsCycles	454397int	TetrisSensorWorkingTime	0h	TotalInkConsumed	431549599ul
TubesScanAxisCycles	2627396int	WhiteInkConsumed	0ul	WorkingTime	1209h
InkSupplyInsertions_Slot_1	111int	InkSupplyInsertions_Slot_2	111int	InkSupplyInsertions_Slot_3	122int
InkSupplyInsertions_Slot_4	122int	InkSupplyInsertions_Slot_5	119int	InkSupplyInsertions_Slot_6	119int
InkSupplyInsertions_Slot_7	113int	InkSupplyInsertions_Slot_8	113int	InkSupplyInsertions_Slot_9	107int
InkSupplyInsertions_Slot_10	107int	InkSupplyInsertions_Slot_11	110int	InkSupplyInsertions_Slot_12	110int
InkSupplyInsertions_Slot_13	118int	InkSupplyInsertions_Slot_14	118int	InkSupplyInsertions_Slot_15	123int
InkSupplyInsertions_Slot_16	123int	InkSupplyInsertions_Total	1846int		

Preventive Maintenance Usage	
	Usage
Carriage rod cleaning and lubrication	0%
100 L maintenancel	63%
50 L maintenancel	126%
150L service maintenance - HP Latex 800	90%
450L service maintenance - HP Latex 800	95%

Job Accounting

Date	Job Name	Optimized for	Image Quality
2026-08-18T10:56:18Z	Firefly_BMG_SIDES_V1_X75	Images	Normal
2026-08-18T11:09:08Z	Firefly_BMG_BACK_V1_X75	Images	Normal
2026-08-18T10:56:18Z	Firefly_BMG_SIDES_V1_X75	Images	Normal

2026-08-18T10:43:59Z	Firefly_BMG_SIDES_V2_X75	Images	Normal
2026-08-19T11:53:24Z	Firefly_BMG_SIDES_V2_X75	Images	Normal
2026-08-19T23:53:40Z	Service - maintenance	Images	Normal
2026-08-20T03:59:44Z	Service - maintenance	Images	Normal
2026-08-20T08:05:44Z	Service - maintenance	Images	Normal
2026-08-20T12:11:45Z	Service - maintenance	Images	Normal
2026-08-20T16:17:45Z	Service - maintenance	Images	Normal

Calibrations

General Calibrations	
Type	Status
ALIGNMENT	VALID
LS2K	VALID
DROP_DETECTOR	PENDING
ANALOG_ENCODER	VALID

Media Calibrations						
Name	Color	Color Date	Advance	Advance Date	Length	Length Date
Generic Canvas	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Dual Side Banner	NOT_AVAILABLE		PENDING		PENDING	
HP Photo Realistic	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC free Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Blueback Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Coated Paper (more than 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Uncoated Paper (up to 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Cast Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Textile	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Textile	NOT_AVAILABLE		PENDING		PENDING	
Stretchable Textile (up to 5%)	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Non-Woven	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Woven	NOT_AVAILABLE		PENDING		PENDING	
HP Backlit Polyester Film	NOT_AVAILABLE		CANCELLED		PENDING	

3M IJ35-10	OBSOLETE	2024-01-30T06:07:36Z	PENDING	PENDING
3M IJ180Cv3 w/OC	PENDING		PENDING	PENDING
3M IJ180Cv3	VALID	2026-08-06T20:48:02Z	PENDING	PENDING

Event Logs

System Errors				
Severity	Error Code		F/W Version	Date
error	0027-0001-0184		PLS_65_26_18.1	20260803215935
error	0027-0001-0184		PLS_65_26_18.1	20260803174453
error	0027-0001-0184		PLS_65_26_18.1	20260803171633

System Warnings				
Severity	Error Code		F/W Version	Date
information	0022-0012-0440		PLS_65_26_18.1	20260820120633
warning	0065-0002-0008		PLS_65_26_18.1	20260819191033
information	0065-0040-0016		PLS_65_26_18.1	20260819191004
warning	0065-0002-0008		PLS_65_26_18.1	20260819180012
information	0065-0040-0016		PLS_65_26_18.1	20260819175946
warning	0065-0002-0008		PLS_65_26_18.1	20260819162749
information	0065-0040-0016		PLS_65_26_18.1	20260819162703
warning	0065-0002-0008		PLS_65_26_18.1	20260819143454
warning	0065-0002-0008		PLS_65_26_18.1	20260819140728
warning	0065-0002-0008		PLS_65_26_18.1	20260819133554
warning	0065-0002-0008		PLS_65_26_18.1	20260819130421
warning	0065-0002-0008		PLS_65_26_18.1	20260819123250
warning	0065-0002-0008		PLS_65_26_18.1	20260819120118
warning	0065-0002-0008		PLS_65_26_18.1	20260819112946
information	0022-0012-0440		PLS_65_26_18.1	20260819105315
warning	0065-0002-0008		PLS_65_26_18.1	20260819105311
warning	0065-0002-0008		PLS_65_26_18.1	20260819103247
warning	0065-0002-0008		PLS_65_26_18.1	20260819100114
warning	0065-0002-0008		PLS_65_26_18.1	20260819092943
warning	0065-0002-0008		PLS_65_26_18.1	20260819085809

Connectivity Configuration

```
=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
```

Error: DETAIL_OK
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY
URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
Status: STATUS_DISABLED
Error: DETAIL_DISABLED
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
Status: STATUS_OK
Error: DETAIL_OK
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
Status: STATUS_OK
Error: DETAIL_OK
Action: ACTION_NOTHING
Interface: INTERFACE_DOESNT_APPLY

===== Automatic Firmware Update =====

URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw
Firmware Update Check: Automatic
Firmware Update Download: Automatic

===== Internet Printing Protocol =====

IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

===== Jetdirect Page =====

----- General Information -----		----- TCP/IP -----	
Status:	I/O Card Ready	IPv4:	Enabled
		IPv6:	Enabled
Model Number:	J8022E	Host Name:	SQFT-HP802
Hardware Address:	48BA4EBD3E4B	IPv4 Domain Name:	Not Specified
Firmware Version:	x86_vega_fi.DRB	IPv6 Domain Name:	Not Specified
LAA:	48BA4EBD3E4B	Primary DNS Server:	172.19.254.1
Port Config:	1000T FULL	Secondary DNS Server:	Not Specified
Auto Negotiation:	On	DNS(IPv6):	Not Specified
Manufacturing ID:	*****00***-W		
Build Date:	02/24/2026 11:14:20	WINS Server:	Not Specified
		TCP Idle Timeout:	270 sec
----- Security Settings -----		----- IPv4 -----	
802.1X:	Not Specified	Status:	Ready
IPsec:	Disabled		
Secure Web:	HTTPS Optional	IP Address:	172.19.254.182
Cert Expires:	2027-01-28 15:12 UTC	Subnet Mask:	255.255.255.0
SNMP Versions:	1;2	Default Gateway:	172.19.254.1
SNMP Set Cmty Name:	Not Specified	Config By:	Manual
SNMP Get Cmty Name:	Not Specified/Default	BOOTP/DHCP Server:	Not Specified
Access List:	Not Specified	TFTP Server:	Not Specified
Admin Password:	Not Specified	Bonjour Service Name:	
FIPS:	Disabled	HP Latex 800 [BD3E4B]	
----- Network Statistics -----		----- IPv6 -----	
Total Packets Received:	19543860	Status:	Ready
Unicast Packets Received:	16511140		
Bad Packets Received:	0	Link-Local:	fe80::4aba:4eff:febd:3e4b
Total Packets Transmitted:	13046244	Stateless:	2001:579:9324:1:4aba:4eff:febd:3e4b
Framing Errors Received:	0		
Unsendable Packets:	0		
Transmit Collisions:	0		
Transmit Late Collisions:	0		

DHCPv6:
Not Configured
Manual:
Not Configured