

Date:	2026-08-20T17:12:43Z	Product:	HP Latex 800	Serial Number:	
Firmware:	PLS_65_26_18.1	Product Number:	Y0U21A	Service ID:	32192
Upgrade Number:	0				

Current Media, Printhead and Ink Information

Paper Loaded Information			
Paper Path:	ROLL	Paper Loaded Status:	OK
Media Type:	Generic Backlit Paper		
Media Width:	1626 mm / 64.0 inches	Media Length:	Unknown

Paper Output Information			
	Status	Model	Serial Number
TUR	16416		

Current Printhead Kit Info (I)					
	Warranty status	Service Code	Status	Error ID Code	Product Number
1 - Optimizer-Optimizer	on_warranty	7T3Bklnik/gexka3gf7Dag==	OK	0	4UU94A
2 - Overcoat-Overcoat	see_warranty_notes	228uCs0ITlcTFLf1vsavZA==	OK	524288	4UV98A/4UU95A
3 - Black-Cyan	see_warranty_notes	S0DCbZGs6f/mQu22bE1H+g==	OK	524288	4UV95A/4UU95A
4 - Black-Cyan	see_warranty_notes	CB96uAH4WAbzU6YfLO/IJQ==	OK	524288	4UV95A/4UU95A
5 - Light cyan-Light magenta	out_of_warranty	y32caAKyHIPqXMPzJpYwXA==	OK	524288	4UV97A/4UU95A
6 - Light cyan-Light magenta	out_of_warranty	O3IIN9To2DJZqjZhM2x4Uw==	OK	524288	4UV97A/4UU95A
7 - Magenta-Yellow	see_warranty_notes	swefuxvj9wYLkpNeHFhaxQ==	OK	524288	4UV96A/4UU95A
8 - Magenta-Yellow	see_warranty_notes	cpdAR1ZvBsZUznBAws0mZw==	OK	524288	4UV96A/4UU95A

Current Printhead Kit Info (II)				
	Product Name	Serial Number	Last insertion	Warranty Date
1 - Optimizer-Optimizer	HP 836	320604251559256	2026-06-25T19:38:03Z	2027-06-19T00:00:00Z
2 - Overcoat-Overcoat	HP 836	321207210001215	2022-07-11T22:14:36Z	2023-12-18T00:00:00Z
3 - Black-Cyan	HP 836	320604241432301	2024-10-09T19:46:04Z	2026-06-19T00:00:00Z
4 - Black-Cyan	HP 836	320603241205527	2024-10-09T19:46:06Z	2026-06-19T00:00:00Z
5 - Light cyan-Light magenta	HP 836	350909251304330	2026-02-19T20:56:12Z	2027-09-25T00:00:00Z
6 - Light cyan-Light magenta	HP 836	350909251212559	2026-02-19T20:56:13Z	2027-09-25T00:00:00Z
7 - Magenta-Yellow	HP 836	350813251108014	2026-01-19T21:24:28Z	2027-08-28T00:00:00Z
8 - Magenta-Yellow	HP 836	350813252317429	2026-01-19T21:24:30Z	2027-08-28T00:00:00Z

Current Printhead Kit Info (III)				
	Used non-HP ink	Used expired ink	Ink Used (cc)	Warranty Spent
1 - Optimizer-Optimizer	false	false	470.00	83%
2 - Overcoat-Overcoat	true	true	21504.00	100%
3 - Black-Cyan	false	true	18720.00	100%
4 - Black-Cyan	false	true	14964.00	100%
5 - Light cyan-Light magenta	false	false	3174.00	100%
6 - Light cyan-Light magenta	false	false	2484.00	100%
7 - Magenta-Yellow	false	true	2415.00	100%

8 - Magenta-Yellow	false	true	1949.00	100%
--------------------	-------	------	---------	------

Current Printhead Kit Info (IV)			
	Usage Time (s)	Max. Recovery Level	Scan Axis Shutdown
1 - Optimizer-Optimizer	139564	3	0
2 - Overcoat-Overcoat	4745346	3	0
3 - Black-Cyan	2479752	3	0
4 - Black-Cyan	2502406	3	0
5 - Light cyan-Light magenta	695976	3	0
6 - Light cyan-Light magenta	694887	3	0
7 - Magenta-Yellow	751434	3	0
8 - Magenta-Yellow	751265	3	0

Current Ink Cartridge Info (I)						
	Status	Product Name	Product Number	Serial Number	Service Code	Install Date
1 - Cyan	OK	HP 873	4UV85A	530250321171059	R/dAanTn9rovY/n20jalfw==	2026-03-19T00:00:00Z
2 - Magenta	Low level	HP 873	4UV86A	530241221135132	U6C6MPVF2VqT0qJQk30qUw==	2026-01-08T00:00:00Z
3 - Yellow	OK	HP 873	4UV87A	530250527041408	q3d/vXi+oAG7HryKoINWEQ==	2026-07-30T00:00:00Z
4 - Black	OK	HP 873	4UV84A	520250407070746	kk5yrXxJW492QKFnhstYTA==	2026-03-05T00:00:00Z
5 - Light cyan	OK	HP 873	4UV88A	520250630042953	LP31Rkd/X0Gv+qdItUE81Q==	2026-03-19T00:00:00Z
6 - Light magenta	OK	HP 873	4UV89A	520250719055728	iRAUDsqDehcI69ffPe4YlQ==	2026-03-05T00:00:00Z
7 - Optimizer	OK	HP 873	4UV90A	520250413070307	/FV845yOIuez/cT8RcUb6g==	2026-03-19T00:00:00Z
8 - Overcoat	OK	HP 873	4UV91A	530250510051023	PzUuWp7Fjomu1wkm54KybQ==	2026-05-21T00:00:00Z

Current Ink Cartridge Info (II)						
	Expiration Date	End of warranty	Manufacturer	Capacity (cc)	Level (cc)	Used non-HP Ink
1 - Cyan	2026-09-18T17:11:01Z	2026-09-18T17:11:01Z	HP	3000	1290	false
2 - Magenta	2026-06-20T13:51:34Z	2026-06-20T13:51:34Z	HP	3000	330	false
3 - Yellow	2026-12-01T04:14:11Z	2026-12-01T04:14:11Z	HP	3000	2790	false
4 - Black	2026-10-05T07:07:49Z	2026-10-05T07:07:49Z	HP	3000	1830	false
5 - Light cyan	2026-12-28T04:29:55Z	2026-12-28T04:29:55Z	HP	3000	1770	false
6 - Light magenta	2027-01-16T05:57:30Z	2027-01-16T05:57:30Z	HP	3000	1170	false
7 - Optimizer	2026-10-11T07:03:09Z	2026-10-11T07:03:09Z	HP	3000	1709	false
8 - Overcoat	2026-11-07T05:10:25Z	2026-11-07T05:10:25Z	HP	3000	1530	false

Printer Usage Information

Printer Usage		
Total printed media:	29257972.43sqi/11896.93m	Total number of prints: 5644

Usage per Printhead Slot				
	Color	Product Number	Printheads Used	Total Insertions
Slot 0	Optimizer-Optimizer	4UU94A	8	1

Slot 1	Overcoat-Overcoat	4UV98A/4UU95A	1	3
Slot 2	Black-Cyan	4UV95A/4UU95A	10	1
Slot 3	Black-Cyan	4UV95A/4UU95A	11	2
Slot 4	Light cyan-Light magenta	4UV97A/4UU95A	9	1
Slot 5	Light cyan-Light magenta	4UV97A/4UU95A	8	1
Slot 6	Magenta-Yellow	4UV96A/4UU95A	5	1
Slot 7	Magenta-Yellow	4UV96A/4UU95A	8	1

Usage per Cartridge Slot			
	Product Number	Usage (cc)	Total Insertions
0 - Cyan	4UV85A	33747.32	934
1 - Magenta	4UV86A	36781.73	19
2 - Yellow	4UV87A	45928.29	12
3 - Black	4UV84A	38076.60	13
4 - Light cyan	4UV88A	24849.81	935
5 - Light magenta	4UV89A	25344.78	14
6 - Optimizer	4UV90A	33640.19	935
7 - Overcoat	4UV91A	66175.57	1192
8 - Optimizer		0.37	0
9 - Yellow		0.65	0
10 - Black		0.18	0
11 - Light magenta		0.15	0
12 - Magenta		0.16	0
13 - Overcoat		1.47	0
14 - Light cyan		0.13	0
15 - Cyan		0.13	0
16 - Cyan	n/a	0.00	0
17 - Cyan	4UV55A	0.00	0
18 - Cyan	4UV39A	0.00	0
19 - Magenta	n/a	0.00	0
20 - Magenta	4UV94A	0.00	0
21 - Magenta	4UV56A	0.00	0
22 - Magenta	4UV40A	0.00	0
23 - Yellow	n/a	0.00	0
24 - Yellow	4UV57A	0.00	0
25 - Yellow	4UV41A	0.00	0
26 - Black	n/a	0.00	0
27 - Black	4UV54A	0.00	0
28 - Black	4UV38A	0.00	0
29 - Light cyan	n/a	0.00	0
30 - Light cyan	B1PS3A	0.00	0
31 - Light cyan	4UV58A	0.00	0
32 - Light magenta	n/a	0.00	0
33 - Light magenta	B1PS4A	0.00	0
34 - Light magenta	4UV59A	0.00	0
35 - Optimizer	n/a	0.00	0
36 - Optimizer	B1PS5A	0.00	0

37 - Optimizer	4UV60A	0.00	0
38 - Overcoat	n/a	0.00	0
39 - Overcoat	B1PS6A	0.00	0
40 - Overcoat	4UV61A	0.00	0

Media Usage per Media Type	
Generic PVC Banner	14571.10sqi/5.78m
Generic Self-Adhesive Vinyl	2910.42sqi/1.14m
Generic Backlit Paper	373399.01sqi/148.16m
HP Backlit Polyester Film	56924.41sqi/22.92m
HP Permanent Gloss Adhesive Vinyl(1)	7041.39sqi/3.38m
3M IJ180Cv3	17919070.38sqi/7337.58m
3M IJ35-10	10884055.73sqi/4377.96m

Component Usage					
150LMaintenanceInkConsumed	92247322ul	450LMaintenanceInkConsumed	305508323ul	900LMaintenanceInkConsumed	305508323ul
BeltScanAxisCycles	1988811int	BeltTensionerScanAxisCycles	493411int	BushingsScanAxisCycles	1988811int
CableScanAxisCycles	1988811int	CarriageBearingsScanAxisCycles	1988811int	CleanPlasticNeedlesWorkingTime	0h
CleanPlatenInkConsumed	32681320ul	ColorCalibrationExecutions	11int	ColorSensorWorkingTime	0h
CuringCleaningInkConsumed	92247322ul	CuringHeatersInkConsumed	305508323ul	CutterAndLinearBladeLength	800m
CutterAndLinearBladeScanAxisCycles	238int	DriveRollerPaperLength	24649m	DropDetectorWorkingTime	6h
EncoderStripCleaningInkConsumed	32681320ul	EncoderStripCleaningMcReplace	0int	EncoderStripInkConsumed	305508323ul
MotorScanAxisCyclesS	1988811int	OilCarriageRodScanAxisCycles	224011int	OilerReplaceInkConsumed	32681320ul
OilerReplacementScanAxisCycles	224011int	PaperDriveMotorPaperLength	24649m	PensOnOffCycles	89894int
PinchWheelDistance	15189m	PixartMediaAdvanceLength	23729m	PluggedTime	35104h
PowerOffCycles	0int	PowerOnCycles	183int	RecirculationCoverInkConsumed	305508323ul
RollSwitchesNumber	0int	ScanAxisCoveredDistance	3895466m	SleepingTime	30563h
SvsCycles	365269int	TetrisSensorWorkingTime	0h	TotalInkConsumed	305508323ul
TubesScanAxisCycles	1988811int	WhiteInkConsumed	0ul	WorkingTime	921h
InkSupplyInsertions_Slot_1	106int	InkSupplyInsertions_Slot_2	106int	InkSupplyInsertions_Slot_3	106int
InkSupplyInsertions_Slot_4	106int	InkSupplyInsertions_Slot_5	109int	InkSupplyInsertions_Slot_6	109int
InkSupplyInsertions_Slot_7	109int	InkSupplyInsertions_Slot_8	109int	InkSupplyInsertions_Slot_9	110int
InkSupplyInsertions_Slot_10	110int	InkSupplyInsertions_Slot_11	109int	InkSupplyInsertions_Slot_12	109int
InkSupplyInsertions_Slot_13	112int	InkSupplyInsertions_Slot_14	112int	InkSupplyInsertions_Slot_15	119int
InkSupplyInsertions_Slot_16	119int	InkSupplyInsertions_Total	1760int		

Preventive Maintenance Usage	
	Usage
Carriage rod cleaning and lubrication	0%
100 L maintenancel	32%
50 L maintenancel	65%
150L service maintenance - HP Latex 800	61%
450L service maintenance - HP Latex 800	67%

Job Accounting

Date	Job Name	Optimized for	Image Quality
2026-08-19T09:44:59Z	Service - maintenance	Images	Normal

2026-08-19T13:51:21Z	Service - maintenance	Images	Normal
2026-08-19T17:57:41Z	Service - maintenance	Images	Normal
2026-08-19T20:03:03Z	Service - NOZZLE_HEALTH	Images	Normal
2026-08-20T00:05:48Z	Service - maintenance	Images	Normal
2026-08-20T04:12:10Z	Service - maintenance	Images	Normal
2026-08-20T08:18:32Z	Service - maintenance	Images	Normal
2026-08-20T12:24:53Z	Service - maintenance	Images	Normal
2026-08-20T16:30:38Z	Service - maintenance	Images	Normal
2026-08-20T10:05:02Z	Autonest #1 (finalized)	Images	Normal

Calibrations

General Calibrations	
Type	Status
ALIGNMENT	VALID
LS2K	VALID
DROP_DETECTOR	VALID
ANALOG_ENCODER	VALID

Media Calibrations						
Name	Color	Color Date	Advance	Advance Date	Length	Length Date
Generic Canvas	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Dual Side Banner	NOT_AVAILABLE		PENDING		PENDING	
HP Photo Realistic	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC free Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Blueback Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Coated Paper (more than 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Uncoated Paper (up to 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Cast Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PP & PE Synthetics	NOT_AVAILABLE		PENDING		PENDING	
Generic Textile	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Textile	NOT_AVAILABLE		PENDING		PENDING	
Stretchable Textile (up to 5%)	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Wallcovering Non-Woven	NOT_AVAILABLE		PENDING		PENDING	

Generic Wallcovering Woven	NOT_AVAILABLE		PENDING	PENDING
HP Backlit Polyester Film	NOT_AVAILABLE		CANCELLED	PENDING
3M IJ35-10	OBSOLETE	2025-07-29T20:01:18Z	PENDING	PENDING
3M IJ180Cv3	VALID	2026-08-06T20:21:15Z	PENDING	PENDING
HP Permanent Gloss Adhesive Vinyl(1)	OBSOLETE	2022-07-12T17:38:31Z	CANCELLED	PENDING

Event Logs

System Errors			
Severity	Error Code	F/W Version	Date
error	0086-0010-0065	PLS_65_26_18.1	20260818170659
error	0016-0009-0261	PLS_63_25_47.1	20260528130933
error	0016-0009-0261	PLS_63_25_47.1	20260417225414
error	0016-0009-0261	PLS_63_25_47.1	20260413102811
error	0016-0009-0261	PLS_63_25_47.1	20260306171402
error	0016-0009-0261	PLS_63_25_47.1	20260306164909
error	0016-0009-0261	PLS_63_25_47.1	20260306163928
error	0016-0009-0261	PLS_63_25_47.1	20260306161816
error	0016-0009-0261	PLS_63_25_47.1	20260306155853
error	0016-0009-0261	PLS_63_25_47.1	20260306153508
error	0016-0009-0261	PLS_63_25_47.1	20260305070634
error	0016-0009-0261	PLS_63_25_47.1	20260228051456
error	0016-0009-0261	PLS_63_25_43.1	20260222212400
error	0086-0010-0065	PLS_63_25_43.1	20260114201752
error	0016-0009-0261	PLS_63_25_43.1	20251223134112

System Warnings			
Severity	Error Code	F/W Version	Date
information	0065-0040-0016	PLS_65_26_18.1	20260820170812
information	0065-0040-0016	PLS_65_26_18.1	20260818145643
information	0065-0040-0016	PLS_65_26_18.1	20260817150214
information	0065-0040-0016	PLS_65_26_18.1	20260814025724
information	0065-0040-0016	PLS_65_26_18.1	20260813224449
warning	0065-0002-0008	PLS_65_26_18.1	20260806205939
information	0065-0040-0016	PLS_65_26_18.1	20260804144058
warning	0065-0002-0008	PLS_65_26_18.1	20260804143718
warning	0065-0002-0008	PLS_65_26_18.1	20260804141858
warning	0065-0002-0008	PLS_65_26_18.1	20260804134725
warning	0065-0002-0008	PLS_65_26_18.1	20260804131551
warning	0065-0002-0008	PLS_65_26_18.1	20260804124419
warning	0065-0002-0008	PLS_65_26_18.1	20260804121244
warning	0065-0002-0008	PLS_65_26_18.1	20260804114112
warning	0065-0002-0008	PLS_65_26_18.1	20260804110437
warning	0065-0002-0008	PLS_65_26_18.1	20260804104418
warning	0065-0002-0008	PLS_65_26_18.1	20260804101244

warning	0065-0002-0008	PLS_65_26_18.1	20260804094112
warning	0065-0002-0008	PLS_65_26_18.1	20260804090937
warning	0065-0002-0008	PLS_65_26_18.1	20260804083806

Connectivity Configuration

```

=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
  URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
  Status: STATUS_DISABLED
  Error: DETAIL_DISABLED
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY

=====
===== Automatic Firmware Update =====
=====
URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw
Firmware Update Check: Automatic
Firmware Update Download: Automatic

=====
===== Internet Printing Protocol =====
=====
IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

=====
===== Jetdirect Page =====
----- General Information -----
Status: I/O Card Ready
Model Number: J8022E
Hardware Address: 48BA4EBD45D8
Firmware Version: x86_vega_fi.DRB
LAA: 48BA4EBD45D8
Port Config: 1000T FULL
Auto Negotiation: On
Manufacturing ID: *****00****-W
Build Date: 02/24/2026 11:14:20

----- Security Settings -----
802.1X: Not Specified
IPsec: Disabled
Secure Web: HTTPS Optional
Cert Expires: 2027-03-29 10:23 UTC
SNMP Versions: 1;2
SNMP Set Cmty Name: Not Specified
SNMP Get Cmty Name: Not Specified/Default
Access List: Not Specified
Admin Password: Not Specified
FIPS: Disabled

----- Network Statistics -----

----- TCP/IP -----
IPv4: Enabled
IPv6: Enabled
Host Name: SQFT-HP803
IPv4 Domain Name: Not Specified
IPv6 Domain Name: Not Specified
Primary DNS Server: 172.19.254.1
Secondary DNS Server: Not Specified
DNS(IPv6): Not Specified
WINS Server: Not Specified
TCP Idle Timeout: 3600 sec

----- IPv4 -----
Status: Ready
IP Address: 172.19.254.183
Subnet Mask: 255.255.255.0
Default Gateway: 172.19.254.1
Config By: Manual
BOOTP/DHCP Server: Not Specified
TFTP Server: Not Specified
Bonjour Service Name:
HP Latex 800 [BD45D8]

```

Total Packets Received: 1593353
Unicast Packets Received: 1176699
Bad Packets Received: 0
Total Packets Transmitted: 1234917
Framing Errors Received: 0
Unsendable Packets: 0
Transmit Collisions: 0
Transmit Late Collisions: 0

----- IPv6 -----
Status: Ready

Link-Local:
fe80::4aba:4eff:febd:45d8
Stateless:
2001:579:9324:1:4aba:4eff:febd:45d8

DHCPv6:
Not Configured
Manual:
Not Configured