

Date:	2026-08-20T17:13:40Z	Product:	HP Latex 800	Serial Number:	
Firmware:	PLS_65_26_18.1	Product Number:	Y0U21A	Service ID:	33009
Upgrade Number:	0				

Current Media, Printhead and Ink Information

Paper Loaded Information			
Paper Path:	ROLL	Paper Loaded Status:	OK
Media Type:	3M IJ180Cv3		
Media Width:	1472 mm / 57.9 inches	Media Length:	Unknown

Paper Output Information		
Status	Model	Serial Number
TUR	16416	

Current Printhead Kit Info (I)					
	Warranty status	Service Code	Status	Error ID Code	Product Number
1 - Optimizer-Optimizer	out_of_warranty	4FZDkiN9VY/Y7KQvGhisfQ==	OK	524288	4UU94A
2 - Overcoat-Overcoat	see_warranty_notes	P2Y5akwZnx7IOUufwaK3ZQ==	OK	524288	4UV98A/4UU95A
3 - Black-Cyan	see_warranty_notes	5WQ1vMWEMPrAWwL4H/9z/Q==	OK	524288	4UV95A/4UU95A
4 - Black-Cyan	see_warranty_notes	fc9fFg52kr5ULrcR9Z4BhA==	OK	524288	4UV95A/4UU95A
5 - Light cyan-Light magenta	see_warranty_notes	ouT1KXfLa7EsLgqstAaU1w==	OK	524288	4UV97A/4UU95A
6 - Light cyan-Light magenta	see_warranty_notes	O6z6vuYLtCMtS7lWyqOnpQ==	OK	524288	4UV97A/4UU95A
7 - Magenta-Yellow	out_of_warranty	4wWXWNFg3drpWIG9zrNPBw==	OK	524288	4UV96A/4UU95A
8 - Magenta-Yellow	on_warranty	astM5gd/wali+k8rUDP6LA==	OK	0	4UV96A/4UU95A

Current Printhead Kit Info (II)				
	Product Name	Serial Number	Last insertion	Warranty Date
1 - Optimizer-Optimizer	HP 836	320526251014477	2026-02-09T22:23:14Z	2027-06-19T08:00:00Z
2 - Overcoat-Overcoat	HP 836	320925211719579	2023-01-09T20:51:45Z	2023-10-23T08:00:00Z
3 - Black-Cyan	HP 836	320506251542485	2025-08-07T16:41:34Z	2027-05-22T08:00:00Z
4 - Black-Cyan	HP 836	320726240733055	2024-12-05T21:00:39Z	2026-08-21T08:00:00Z
5 - Light cyan-Light magenta	HP 836	350909251303476	2026-03-04T19:25:08Z	2027-09-25T08:00:00Z
6 - Light cyan-Light magenta	HP 836	320228242236431	2025-02-28T21:15:50Z	2026-03-13T08:00:00Z
7 - Magenta-Yellow	HP 836	320829241151192	2026-03-16T20:02:40Z	2026-09-18T08:00:00Z
8 - Magenta-Yellow	HP 836	320829241157080	2026-05-21T21:26:36Z	2026-09-18T08:00:00Z

Current Printhead Kit Info (III)				
	Used non-HP ink	Used expired ink	Ink Used (cc)	Warranty Spent
1 - Optimizer-Optimizer	false	false	6506.00	83%
2 - Overcoat-Overcoat	false	true	16890.00	100%
3 - Black-Cyan	false	true	17708.00	100%
4 - Black-Cyan	false	true	21046.00	100%
5 - Light cyan-Light magenta	false	true	4636.00	100%
6 - Light cyan-Light magenta	false	true	17018.00	100%
7 - Magenta-Yellow	false	false	4185.00	42%

8 - Magenta-Yellow	false	false	1022.00	10%
--------------------	-------	-------	---------	-----

Current Printhead Kit Info (IV)			
	Usage Time (s)	Max. Recovery Level	Scan Axis Shutdown
1 - Optimizer-Optimizer	979503	3	0
2 - Overcoat-Overcoat	5768191	3	0
3 - Black-Cyan	2060315	3	0
4 - Black-Cyan	3321702	3	0
5 - Light cyan-Light magenta	840231	3	0
6 - Light cyan-Light magenta	2960887	3	0
7 - Magenta-Yellow	649412	3	0
8 - Magenta-Yellow	277602	3	0

Current Ink Cartridge Info (I)						
	Status	Product Name	Product Number	Serial Number	Service Code	Install Date
1 - Cyan	OK	HP 873	4UV85A	520250504150022	KHgCnFRK7QPBsxTj77Fyrw==	2026-07-02T07:00:00Z
2 - Magenta	OK	HP 873	4UV86A	590251213103445	d42hOzHzLhSPLdozaNHysg==	2026-05-21T07:00:00Z
3 - Yellow	OK	HP 873	4UV87A	590251211060227	z7REdr0a9Z8aGNHaw7QJ2A==	2026-05-21T07:00:00Z
4 - Black	OK	HP 873	4UV84A	520250831083836	ILo2bD+atQvp9x24letreg==	2026-05-21T07:00:00Z
5 - Light cyan	OK	HP 873	4UV88A	520250226234523	TdpGpYSqScsv9LwHnmsu2Q==	2026-05-07T07:00:00Z
6 - Light magenta	Expired	HP 873	4UV89A	530250106185123	fwNEkCzIzxMhIJWiWUic5w==	2026-07-02T07:00:00Z
7 - Optimizer	OK	HP 873	4UV90A	520250511185151	XGVWaTb0iAp+yr0vDCQDxA==	2026-05-21T07:00:00Z
8 - Overcoat	Low level	HP 873	4UV91A	520250510005110	YyC7UIkofQSpY5SLvJTSOA==	2026-05-21T07:00:00Z

Current Ink Cartridge Info (II)						
	Expiration Date	End of warranty	Manufacturer	Capacity (cc)	Level (cc)	Used non-HP Ink
1 - Cyan	2026-11-01T22:00:25Z	2026-11-01T22:00:25Z	HP	3000	2460	false
2 - Magenta	2027-06-12T18:34:46Z	2027-06-12T18:34:46Z	HP	3000	2400	false
3 - Yellow	2027-06-10T14:02:28Z	2027-06-10T14:02:28Z	HP	3000	1470	false
4 - Black	2027-02-28T15:38:39Z	2027-02-28T15:38:39Z	HP	3000	2010	false
5 - Light cyan	2026-08-27T07:45:26Z	2026-08-27T07:45:26Z	HP	3000	1260	false
6 - Light magenta	2026-07-07T02:51:26Z	2026-07-07T02:51:26Z	HP	3000	2610	false
7 - Optimizer	2026-11-09T01:51:53Z	2026-11-09T01:51:53Z	HP	3000	2070	false
8 - Overcoat	2026-11-07T07:51:12Z	2026-11-07T07:51:12Z	HP	3000	360	false

Printer Usage Information

Printer Usage		
Total printed media:	35298393.79sqi/15530.24m	Total number of prints: 5522

Usage per Printhead Slot			
Color	Product Number	Printheads Used	Total Insertions

Slot 0	Optimizer-Optimizer	4UU94A	6	1
Slot 1	Overcoat-Overcoat	4UV98A/4UU95A	1	1
Slot 2	Black-Cyan	4UV95A/4UU95A	7	1
Slot 3	Black-Cyan	4UV95A/4UU95A	7	1
Slot 4	Light cyan-Light magenta	4UV97A/4UU95A	3	1
Slot 5	Light cyan-Light magenta	4UV97A/4UU95A	2	1
Slot 6	Magenta-Yellow	4UV96A/4UU95A	3	1
Slot 7	Magenta-Yellow	4UV96A/4UU95A	4	1

Usage per Cartridge Slot			
	Product Number	Usage (cc)	Total Insertions
0 - Cyan	4UV85A	48277.65	19
1 - Magenta	4UV86A	63739.33	31
2 - Yellow	4UV87A	62851.60	19
3 - Black	4UV84A	48573.35	17
4 - Light cyan	4UV88A	34244.08	15
5 - Light magenta	4UV89A	38967.08	27
6 - Optimizer	4UV90A	50339.39	309
7 - Overcoat	4UV91A	111093.52	69
8 - Yellow		0.74	0
9 - Magenta		0.83	0
10 - Light cyan		1.04	0
11 - Overcoat		4.76	0
12 - Optimizer		0.59	0
13 - Cyan		0.35	0
14 - Light magenta		0.25	0
15 - Black		0.34	0
16 - Cyan	n/a	0.00	0
17 - Cyan	4UV55A	0.00	0
18 - Cyan	4UV39A	0.00	0
19 - Magenta	n/a	0.00	0
20 - Magenta	4UV94A	0.00	0
21 - Magenta	4UV56A	0.00	0
22 - Magenta	4UV40A	0.00	0
23 - Yellow	n/a	0.00	0
24 - Yellow	4UV57A	0.00	0
25 - Yellow	4UV41A	0.00	0
26 - Black	n/a	0.00	0
27 - Black	4UV54A	0.00	0
28 - Black	4UV38A	0.00	0
29 - Light cyan	n/a	0.00	0
30 - Light cyan	B1PS3A	0.00	0
31 - Light cyan	4UV58A	0.00	0
32 - Light magenta	n/a	0.00	0
33 - Light magenta	B1PS4A	0.00	0
34 - Light magenta	4UV59A	0.00	0

35 - Optimizer	n/a	0.00	0
36 - Optimizer	B1PS5A	0.00	0
37 - Optimizer	4UV60A	0.00	0
38 - Overcoat	n/a	0.00	0
39 - Overcoat	B1PS6A	0.00	0
40 - Overcoat	4UV61A	0.00	0

Media Usage per Media Type	
Generic Self-Adhesive Vinyl	5835.04sqi/2.34m
Generic Backlit Paper	9859.24sqi/3.96m
HP Backlit Polyester Film	147541.30sqi/62.32m
3M IJ180Cv3	22461486.05sqi/9652.21m
3M IJ35-10	12673672.15sqi/5809.41m

Component Usage					
150LMaintenanceInkConsumed	6984142ul	450LMaintenanceInkConsumed	6984142ul	900LMaintenanceInkConsumed	459411142ul
BeltScanAxisCycles	2593005int	BeltTensionerScanAxisCycles	46905int	BushingsScanAxisCycles	2593005int
CableScanAxisCycles	2593005int	CarriageBearingsScanAxisCycles	46905int	CleanPlasticNeedlesWorkingTime	0h
CleanPlatenInkConsumed	6984142ul	ColorCalibrationExecutions	8int	ColorSensorWorkingTime	0h
CuringCleaningInkConsumed	6984142ul	CuringHeatersInkConsumed	6984142ul	CutterAndLinearBladeLength	776m
CutterAndLinearBladeScanAxisCycles	216int	DriveRollerPaperLength	25382m	DropDetectorWorkingTime	6h
EncoderStripCleaningInkConsumed	6984142ul	EncoderStripCleaningMcReplace	0int	EncoderStripInkConsumed	6984142ul
MotorScanAxisCyclesS	46905int	OilCarriageRodScanAxisCycles	46905int	OilerReplaceInkConsumed	6984142ul
OilerReplacementScanAxisCycles	46905int	PaperDriveMotorPaperLength	25382m	PensOnOffCycles	80954int
PinchWheelDistance	19822m	PixartMediaAdvanceLength	25382m	PluggedTime	31173h
PowerOffCycles	0int	PowerOnCycles	117int	RecirculationCoverInkConsumed	6984142ul
RollSwitchesNumber	0int	ScanAxisCoveredDistance	5114693m	SleepingTime	26868h
SvsCycles	456277int	TetrisSensorWorkingTime	0h	TotalInkConsumed	459411142ul
TubesScanAxisCycles	2593005int	WhiteInkConsumed	0ul	WorkingTime	1241h
InkSupplyInsertions_Slot_1	69int	InkSupplyInsertions_Slot_2	69int	InkSupplyInsertions_Slot_3	81int
InkSupplyInsertions_Slot_4	81int	InkSupplyInsertions_Slot_5	209int	InkSupplyInsertions_Slot_6	209int
InkSupplyInsertions_Slot_7	76int	InkSupplyInsertions_Slot_8	76int	InkSupplyInsertions_Slot_9	69int
InkSupplyInsertions_Slot_10	69int	InkSupplyInsertions_Slot_11	71int	InkSupplyInsertions_Slot_12	71int
InkSupplyInsertions_Slot_13	78int	InkSupplyInsertions_Slot_14	78int	InkSupplyInsertions_Slot_15	80int
InkSupplyInsertions_Slot_16	80int	InkSupplyInsertions_Total	1466int		

Preventive Maintenance Usage	
	Usage
Carriage rod cleaning and lubrication	0%
100 L maintenancel	6%
50 L maintenancel	13%
150L service maintenance - HP Latex 800	4%
450L service maintenance - HP Latex 800	1%

Job Accounting

Date	Job Name	Optimized for	Image Quality
2026-08-19T15:32:00Z	Service - maintenance	Images	Normal
2026-08-19T17:13:10Z	Service - recoverPens	Images	Normal
2026-08-19T10:45:47Z	FIREFLY-VDC-ToyotaSienna-YCS-360FullWrap-PRINT-HOOD	Images	Normal
2026-08-19T10:46:26Z	FIREFLY-VDC-ToyotaSienna- YCS-360FullWrap-PRINT-MAGICIAN-PASSENGER SIDE	Images	Normal
2026-08-19T20:29:02Z	Service - prepareAdvancedOperations	Images	Normal
2026-08-20T00:34:59Z	Service - maintenance	Images	Normal
2026-08-20T04:40:56Z	Service - maintenance	Images	Normal
2026-08-20T08:46:56Z	Service - maintenance	Images	Normal
2026-08-20T12:52:54Z	Service - maintenance	Images	Normal
2026-08-20T16:58:53Z	Service - maintenance	Images	Normal

Calibrations

General Calibrations	
Type	Status
ALIGNMENT	VALID
LS2K	VALID
DROP_DETECTOR	VALID
ANALOG_ENCODER	VALID

Media Calibrations						
Name	Color	Color Date	Advance	Advance Date	Length	Length Date
Generic Canvas	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Dual Side Banner	NOT_AVAILABLE		PENDING		PENDING	
HP Photo Realistic	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC free Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Blueback Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Coated Paper (more than 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Uncoated Paper (up to 90 gsm)	NOT_AVAILABLE		PENDING		PENDING	
Generic Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING		PENDING	

Generic Cast Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic Transparent Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic PP & PE Synthetics	NOT_AVAILABLE		PENDING	PENDING
Generic Backlit PP & PE Synthetics	NOT_AVAILABLE		PENDING	PENDING
Generic Textile	NOT_AVAILABLE		PENDING	PENDING
Generic Backlit Textile	NOT_AVAILABLE		PENDING	PENDING
Stretchable Textile (up to 5%)	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Paper	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Non-Woven	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Woven	NOT_AVAILABLE		PENDING	PENDING
HP Backlit Polyester Film	NOT_AVAILABLE		CANCELLED	PENDING
3M IJ35-10	OBSOLETE	2024-01-30T06:06:37Z	PENDING	PENDING
3M IJ180Cv3_w/OC	OBSOLETE	1970-01-16T10:42:07Z	PENDING	PENDING
3M IJ180Cv3	VALID	2026-07-01T22:29:06Z	PENDING	PENDING
3M IJ35-10 NO OC	OBSOLETE	1970-01-16T09:38:34Z	PENDING	PENDING

Event Logs

System Errors			
Severity	Error Code	F/W Version	Date
error	0086-0003-0059	PLS_63_25_47.1	20260708174055
error	0058-0001-0002	PLS_63_25_47.1	20260616210348
error	0058-0001-0002	PLS_63_25_47.1	20260616204726
error	0058-0001-0002	PLS_63_25_47.1	20260616163120
error	0058-0001-0002	PLS_63_25_47.1	20260616161708
error	0086-0001-0080	PLS_63_25_47.1	20260610184739
error	0086-0001-0080	PLS_63_25_47.1	20260609162329
error	0086-0001-0080	PLS_63_25_47.1	20260609161110
error	0086-0001-0080	PLS_63_25_47.1	20260609160703
error	0086-0001-0080	PLS_63_25_47.1	20260609145732
error	0086-0001-0080	PLS_63_25_47.1	20260609142303
error	0086-0001-0080	PLS_63_25_47.1	20260608215402
error	0086-0001-0080	PLS_63_25_47.1	20260608214925

System Warnings			
Severity	Error Code	F/W Version	Date
information	0022-0012-0440	PLS_65_26_18.1	20260820153000
information	0022-0012-0440	PLS_65_26_18.1	20260819180407
information	0027-0001-0290	PLS_65_26_18.1	20260819171240
information	0022-0012-0440	PLS_65_26_18.1	20260818214717
information	0022-0012-0440	PLS_65_26_18.1	20260817185841
information	0027-0001-0290	PLS_65_26_18.1	20260817150201
information	0022-0012-0440	PLS_65_26_18.1	20260816194834

information	0022-0012-0440	PLS_65_26_18.1	20260815164120
information	0027-0001-0290	PLS_65_26_18.1	20260814204127
information	0022-0012-0440	PLS_65_26_18.1	20260814203528
information	0022-0012-0440	PLS_65_26_18.1	20260813183355
information	0022-0012-0440	PLS_65_26_18.1	20260812220132
information	0027-0001-0290	PLS_65_26_18.1	20260812172826
information	0022-0012-0440	PLS_65_26_18.1	20260811232523
information	0027-0001-0290	PLS_65_26_18.1	20260811152313
information	0022-0012-0440	PLS_65_26_18.1	20260810234342
information	0027-0001-0290	PLS_65_26_18.1	20260810143326
information	0022-0012-0440	PLS_65_26_18.1	20260809221440
information	0022-0012-0440	PLS_65_26_18.1	20260809034002
information	0022-0012-0440	PLS_65_26_18.1	20260808064932

Connectivity Configuration

```

=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
  URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
  Status: STATUS_DISABLED
  Error: DETAIL_DISABLED
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY

=====
===== Automatic Firmware Update =====
=====
URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw
Firmware Update Check: Automatic
Firmware Update Download: Automatic

=====
===== Internet Printing Protocol =====
=====
IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

=====
Jetdirect Page
----- General Information ----- TCP/IP -----
Status: I/O Card Ready IPv4: Enabled
IPv6: Enabled
Model Number: J8022E Host Name: SQFT-HP804
Hardware Address: 48BA4EBD45A9 IPv4 Domain Name: lan

```

Firmware Version: x86_vega_fi.DRB
LAA: 48BA4EBD45A9
Port Config: 1000T FULL
Auto Negotiation: On
Manufacturing ID: *****00***-W
Build Date: 02/24/2026 11:14:20

----- Security Settings -----
802.1X: Not Specified
IPsec: Disabled
Secure Web: HTTPS Optional
Cert Expires: 2026-12-08 05:05 UTC
SNMP Versions: 1;2
SNMP Set Cmty Name: Not Specified
SNMP Get Cmty Name: Not Specified/Default
Access List: Not Specified
Admin Password: Not Specified

FIPS: Disabled

----- Network Statistics -----
Total Packets Received: 12915887
Unicast Packets Received: 8110633
Bad Packets Received: 0
Total Packets Transmitted: 10121521
Framing Errors Received: 0
Unsendable Packets: 0
Transmit Collisions: 0
Transmit Late Collisions: 0

IPv6 Domain Name: Not Specified
Primary DNS Server: 172.19.254.1
Secondary DNS Server: Not Specified
DNS(IPv6):
Not Specified

WINS Server: Not Specified
TCP Idle Timeout: 3600 sec

----- IPv4 -----
Status: Ready

IP Address: 172.19.254.184
Subnet Mask: 255.255.255.0
Default Gateway: 172.19.254.1
Config By: Manual
BOOTP/DHCP Server: Not Specified
TFTP Server: Not Specified
Bonjour Service Name:
HP Latex 800 [BD45A9]

----- IPv6 -----
Status: Ready

Link-Local:
fe80::4aba:4eff:febd:45a9
Stateless:
2001:579:9324:1:4aba:4eff:febd:45a9

DHCPv6:
Not Configured
Manual:
Not Configured