

|                 |                      |                 |              |                |       |
|-----------------|----------------------|-----------------|--------------|----------------|-------|
| Date:           | 2026-08-20T17:17:44Z | Product:        | HP Latex 800 | Serial Number: |       |
| Firmware:       | PLS_65_26_18.1       | Product Number: | Y0U21A       | Service ID:    | 33009 |
| Upgrade Number: | 0                    |                 |              |                |       |

## Current Media, Printhead and Ink Information

| Paper Loaded Information |                       |                      |         |
|--------------------------|-----------------------|----------------------|---------|
| Paper Path:              | ROLL                  | Paper Loaded Status: | OK      |
| Media Type:              | 3M IJ180Cv3           |                      |         |
| Media Width:             | 1372 mm / 54.0 inches | Media Length:        | Unknown |

| Paper Output Information |       |               |
|--------------------------|-------|---------------|
| Status                   | Model | Serial Number |
| TUR                      | 16416 |               |

| Current Printhead Kit Info (I) |                    |                          |        |               |                |
|--------------------------------|--------------------|--------------------------|--------|---------------|----------------|
|                                | Warranty status    | Service Code             | Status | Error ID Code | Product Number |
| 1 - Optimizer-Optimizer        | on_warranty        | Tml+e3aTBoQU4FQ7my8z1w== | OK     | 0             | 4UU94A         |
| 2 - Overcoat-Overcoat          | out_of_warranty    | 6qGNDKvMAQHnmTPKn3PKuQ== | OK     | 524288        | 4UV98A/4UU95A  |
| 3 - Black-Cyan                 | on_warranty        | Gi5afvedok0rluLMew1B/A== | OK     | 0             | 4UV95A/4UU95A  |
| 4 - Black-Cyan                 | on_warranty        | M/eLdfQoI/3Xo9fesQx10A== | OK     | 0             | 4UV95A/4UU95A  |
| 5 - Light cyan-Light magenta   | see_warranty_notes | yTDWIQ3h95e9ECV5K/H+1Q== | OK     | 524288        | 4UV97A/4UU95A  |
| 6 - Light cyan-Light magenta   | see_warranty_notes | BpAZkR+dULonjrl/ARnHDQ== | OK     | 524288        | 4UV97A/4UU95A  |
| 7 - Magenta-Yellow             | see_warranty_notes | UXEYhbuTLwvQY4Oq7tobSg== | OK     | 524288        | 4UV96A/4UU95A  |
| 8 - Magenta-Yellow             | see_warranty_notes | MzB0/VcQ+apAOc3oJchYbA== | OK     | 524288        | 4UV96A/4UU95A  |

| Current Printhead Kit Info (II) |              |                 |                      |                      |
|---------------------------------|--------------|-----------------|----------------------|----------------------|
|                                 | Product Name | Serial Number   | Last insertion       | Warranty Date        |
| 1 - Optimizer-Optimizer         | HP 836       | 321201252032518 | 2026-08-04T21:47:07Z | 2027-12-18T08:00:00Z |
| 2 - Overcoat-Overcoat           | HP 836       | 320905231413322 | 2026-08-04T21:47:08Z | 2025-09-17T08:00:00Z |
| 3 - Black-Cyan                  | HP 836       | 320506251509331 | 2026-08-03T18:30:30Z | 2027-05-22T08:00:00Z |
| 4 - Black-Cyan                  | HP 836       | 320506251511400 | 2026-08-03T18:30:31Z | 2027-05-22T08:00:00Z |
| 5 - Light cyan-Light magenta    | HP 836       | 350309261314207 | 2026-08-03T18:30:32Z | 2028-03-26T08:00:00Z |
| 6 - Light cyan-Light magenta    | HP 836       | 350309261005461 | 2026-08-03T18:30:34Z | 2028-03-26T08:00:00Z |
| 7 - Magenta-Yellow              | HP 836       | 350205261322181 | 2026-08-03T18:30:35Z | 2028-02-20T08:00:00Z |
| 8 - Magenta-Yellow              | HP 836       | 350206261303520 | 2026-08-03T18:30:36Z | 2028-02-20T08:00:00Z |

| Current Printhead Kit Info (III) |                 |                  |               |                |
|----------------------------------|-----------------|------------------|---------------|----------------|
|                                  | Used non-HP ink | Used expired ink | Ink Used (cc) | Warranty Spent |
| 1 - Optimizer-Optimizer          | false           | false            | 190.00        | 100%           |
| 2 - Overcoat-Overcoat            | false           | false            | 899.00        | 100%           |
| 3 - Black-Cyan                   | false           | false            | 503.00        | 75%            |
| 4 - Black-Cyan                   | false           | false            | 395.00        | 75%            |
| 5 - Light cyan-Light magenta     | false           | true             | 682.00        | 100%           |
| 6 - Light cyan-Light magenta     | false           | true             | 528.00        | 100%           |
| 7 - Magenta-Yellow               | false           | true             | 263.00        | 100%           |

|                    |       |      |        |      |
|--------------------|-------|------|--------|------|
| 8 - Magenta-Yellow | false | true | 216.00 | 100% |
|--------------------|-------|------|--------|------|

| Current Printhead Kit Info (IV) |                |                     |                    |
|---------------------------------|----------------|---------------------|--------------------|
|                                 | Usage Time (s) | Max. Recovery Level | Scan Axis Shutdown |
| 1 - Optimizer-Optimizer         | 56813          | 2                   | 0                  |
| 2 - Overcoat-Overcoat           | 57003          | 2                   | 0                  |
| 3 - Black-Cyan                  | 85699          | 3                   | 0                  |
| 4 - Black-Cyan                  | 85782          | 3                   | 0                  |
| 5 - Light cyan-Light magenta    | 85814          | 3                   | 0                  |
| 6 - Light cyan-Light magenta    | 85671          | 3                   | 0                  |
| 7 - Magenta-Yellow              | 85837          | 3                   | 0                  |
| 8 - Magenta-Yellow              | 85862          | 3                   | 0                  |

| Current Ink Cartridge Info (I) |                |              |                |                 |                           |                      |
|--------------------------------|----------------|--------------|----------------|-----------------|---------------------------|----------------------|
|                                | Status         | Product Name | Product Number | Serial Number   | Service Code              | Install Date         |
| 1 - Cyan                       | OK             | HP 873       | 4UV85A         | 520250504100847 | Nf145Ylm5AKjlYJbgsJZBw==  | 2026-06-04T07:00:00Z |
| 2 - Magenta                    | Expired        | HP 873       | 4UV86A         | 520250217143440 | D3hYt/xJ+aYNlgQHRyoOVw==  | 2026-04-30T07:00:00Z |
| 3 - Yellow                     | Very low level | HP 873       | 4UV87A         | 590250406102540 | IWvVDAGcG10ATU/xivzQKQ==  | 2026-04-30T07:00:00Z |
| 4 - Black                      | OK             | HP 873       | 4UV84A         | 520250430170956 | xwRBbILi5ZLV3f9cPu1QTA==  | 2026-07-30T07:00:00Z |
| 5 - Light cyan                 | OK             | HP 873       | 4UV88A         | 530250829073509 | pGH3bqlx8aBZoZjk6EC+jQ==  | 2026-05-28T07:00:00Z |
| 6 - Light magenta              | Expired        | HP 873       | 4UV89A         | 520250106191446 | tSp01fzmNxyfH7J06RxxzHA== | 2026-05-28T07:00:00Z |
| 7 - Optimizer                  | OK             | HP 873       | 4UV90A         | 520250511192215 | bO4/8fo5jcPcQ2ra67TuCw==  | 2026-07-16T07:00:00Z |
| 8 - Overcoat                   | OK             | HP 873       | 4UV91A         | 590260126141924 | yzYA7SDrbwR0Urr8vaBOsA==  | 2026-07-16T07:00:00Z |

| Current Ink Cartridge Info (II) |                      |                      |              |               |            |                 |
|---------------------------------|----------------------|----------------------|--------------|---------------|------------|-----------------|
|                                 | Expiration Date      | End of warranty      | Manufacturer | Capacity (cc) | Level (cc) | Used non-HP Ink |
| 1 - Cyan                        | 2026-11-01T17:08:49Z | 2026-11-01T17:08:49Z | HP           | 3000          | 1380       | false           |
| 2 - Magenta                     | 2026-08-17T22:34:43Z | 2026-08-17T22:34:43Z | HP           | 3000          | 930        | false           |
| 3 - Yellow                      | 2026-10-04T17:25:41Z | 2026-10-04T17:25:41Z | HP           | 3000          | 120        | false           |
| 4 - Black                       | 2026-10-29T00:09:59Z | 2026-10-29T00:09:59Z | HP           | 3000          | 2790       | false           |
| 5 - Light cyan                  | 2027-02-26T14:35:12Z | 2027-02-26T14:35:12Z | HP           | 3000          | 1020       | false           |
| 6 - Light magenta               | 2026-07-07T03:14:48Z | 2026-07-07T03:14:48Z | HP           | 3000          | 900        | false           |
| 7 - Optimizer                   | 2026-11-09T02:22:18Z | 2026-11-09T02:22:18Z | HP           | 3000          | 2490       | false           |
| 8 - Overcoat                    | 2027-07-26T22:19:25Z | 2027-07-26T22:19:25Z | HP           | 3000          | 1080       | false           |

Printer Usage Information

| Printer Usage        |                          |                         |      |
|----------------------|--------------------------|-------------------------|------|
| Total printed media: | 41415296.37sqi/17603.87m | Total number of prints: | 5609 |

| Usage per Printhead Slot |                |                 |                  |
|--------------------------|----------------|-----------------|------------------|
| Color                    | Product Number | Printheads Used | Total Insertions |

|        |                          |               |   |   |
|--------|--------------------------|---------------|---|---|
| Slot 0 | Optimizer-Optimizer      | 4UU94A        | 7 | 1 |
| Slot 1 | Overcoat-Overcoat        | 4UV98A/4UU95A | 3 | 1 |
| Slot 2 | Black-Cyan               | 4UV95A/4UU95A | 4 | 1 |
| Slot 3 | Black-Cyan               | 4UV95A/4UU95A | 5 | 1 |
| Slot 4 | Light cyan-Light magenta | 4UV97A/4UU95A | 6 | 1 |
| Slot 5 | Light cyan-Light magenta | 4UV97A/4UU95A | 5 | 1 |
| Slot 6 | Magenta-Yellow           | 4UV96A/4UU95A | 4 | 1 |
| Slot 7 | Magenta-Yellow           | 4UV96A/4UU95A | 5 | 1 |

| Usage per Cartridge Slot |                |            |                  |
|--------------------------|----------------|------------|------------------|
|                          | Product Number | Usage (cc) | Total Insertions |
| 0 - Cyan                 | 4UV85A         | 56028.12   | 13               |
| 1 - Magenta              | 4UV86A         | 60285.22   | 12               |
| 2 - Yellow               | 4UV87A         | 64922.96   | 14               |
| 3 - Black                | 4UV84A         | 58630.89   | 15               |
| 4 - Light cyan           | 4UV88A         | 38552.48   | 14               |
| 5 - Light magenta        | 4UV89A         | 47048.12   | 10               |
| 6 - Optimizer            | 4UV90A         | 54582.10   | 19               |
| 7 - Overcoat             | 4UV91A         | 127144.53  | 20               |
| 8 - Yellow               |                | 1.21       | 0                |
| 9 - Magenta              |                | 0.99       | 0                |
| 10 - Cyan                |                | 1.19       | 0                |
| 11 - Optimizer           |                | 0.16       | 0                |
| 12 - Overcoat            |                | 3.35       | 0                |
| 13 - Light magenta       |                | 0.45       | 0                |
| 14 - Black               |                | 1.14       | 0                |
| 15 - Light cyan          |                | 0.24       | 0                |
| 16 - Cyan                | n/a            | 0.00       | 0                |
| 17 - Cyan                | 4UV55A         | 0.00       | 0                |
| 18 - Cyan                | 4UV39A         | 0.00       | 0                |
| 19 - Magenta             | n/a            | 0.00       | 0                |
| 20 - Magenta             | 4UV94A         | 0.00       | 0                |
| 21 - Magenta             | 4UV56A         | 0.00       | 0                |
| 22 - Magenta             | 4UV40A         | 0.00       | 0                |
| 23 - Yellow              | n/a            | 0.00       | 0                |
| 24 - Yellow              | 4UV57A         | 0.00       | 0                |
| 25 - Yellow              | 4UV41A         | 0.00       | 0                |
| 26 - Black               | n/a            | 0.00       | 0                |
| 27 - Black               | 4UV54A         | 0.00       | 0                |
| 28 - Black               | 4UV38A         | 0.00       | 0                |
| 29 - Light cyan          | n/a            | 0.00       | 0                |
| 30 - Light cyan          | B1PS3A         | 0.00       | 0                |
| 31 - Light cyan          | 4UV58A         | 0.00       | 0                |
| 32 - Light magenta       | n/a            | 0.00       | 0                |
| 33 - Light magenta       | B1PS4A         | 0.00       | 0                |
| 34 - Light magenta       | 4UV59A         | 0.00       | 0                |

|                |        |      |   |
|----------------|--------|------|---|
| 35 - Optimizer | n/a    | 0.00 | 0 |
| 36 - Optimizer | B1PS5A | 0.00 | 0 |
| 37 - Optimizer | 4UV60A | 0.00 | 0 |
| 38 - Overcoat  | n/a    | 0.00 | 0 |
| 39 - Overcoat  | B1PS6A | 0.00 | 0 |
| 40 - Overcoat  | 4UV61A | 0.00 | 0 |

| Media Usage per Media Type  |                         |
|-----------------------------|-------------------------|
| Generic PVC Banner          | 4586.13sqi/3.07m        |
| Generic Self-Adhesive Vinyl | 5857.89sqi/2.33m        |
| HP Backlit Polyester Film   | 208403.02sqi/83.00m     |
| 3M IJ180Cv3                 | 23052825.76sqi/9904.60m |
| 3M IJ35-10 NO OC            | 11647.15sqi/5.26m       |
| 3M IJ35-10                  | 18131976.41sqi/7605.62m |

| Component Usage                    |            |                                |            |                                |             |
|------------------------------------|------------|--------------------------------|------------|--------------------------------|-------------|
| 150LMaintenanceInkConsumed         | 47353833ul | 450LMaintenanceInkConsumed     | 47353833ul | 900LMaintenanceInkConsumed     | 508292833ul |
| BeltScanAxisCycles                 | 2811947int | BeltTensionerScanAxisCycles    | 277647int  | BushingsScanAxisCycles         | 2811947int  |
| CableScanAxisCycles                | 2811947int | CarriageBearingsScanAxisCycles | 277647int  | CleanPlasticNeedlesWorkingTime | 0h          |
| CleanPlatenInkConsumed             | 47353833ul | ColorCalibrationExecutions     | 7int       | ColorSensorWorkingTime         | 0h          |
| CuringCleaningInkConsumed          | 47353833ul | CuringHeatersInkConsumed       | 47353833ul | CutterAndLinearBladeLength     | 867m        |
| CutterAndLinearBladeScanAxisCycles | 293int     | DriveRollerPaperLength         | 27921m     | DropDetectorWorkingTime        | 4h          |
| EncoderStripCleaningInkConsumed    | 47353833ul | EncoderStripCleaningMcReplace  | 2int       | EncoderStripInkConsumed        | 47353833ul  |
| MotorScanAxisCyclesS               | 277647int  | OilCarriageRodScanAxisCycles   | 277647int  | OilerReplaceInkConsumed        | 47353833ul  |
| OilerReplacementScanAxisCycles     | 277647int  | PaperDriveMotorPaperLength     | 27921m     | PensOnOffCycles                | 81204int    |
| PinchWheelDistance                 | 22011m     | PixartMediaAdvanceLength       | 27921m     | PluggedTime                    | 30861h      |
| PowerOffCycles                     | 0int       | PowerOnCycles                  | 144int     | RecirculationCoverInkConsumed  | 47353833ul  |
| RollSwitchesNumber                 | 0int       | ScanAxisCoveredDistance        | 5724601m   | SleepingTime                   | 26399h      |
| SvsCycles                          | 478662int  | TetrisSensorWorkingTime        | 0h         | TotalInkConsumed               | 508292833ul |
| TubesScanAxisCycles                | 2811947int | WhiteInkConsumed               | 0ul        | WorkingTime                    | 1404h       |
| InkSupplyInsertions_Slot_1         | 87int      | InkSupplyInsertions_Slot_2     | 87int      | InkSupplyInsertions_Slot_3     | 84int       |
| InkSupplyInsertions_Slot_4         | 84int      | InkSupplyInsertions_Slot_5     | 82int      | InkSupplyInsertions_Slot_6     | 82int       |
| InkSupplyInsertions_Slot_7         | 89int      | InkSupplyInsertions_Slot_8     | 89int      | InkSupplyInsertions_Slot_9     | 83int       |
| InkSupplyInsertions_Slot_10        | 83int      | InkSupplyInsertions_Slot_11    | 84int      | InkSupplyInsertions_Slot_12    | 84int       |
| InkSupplyInsertions_Slot_13        | 207int     | InkSupplyInsertions_Slot_14    | 207int     | InkSupplyInsertions_Slot_15    | 95int       |
| InkSupplyInsertions_Slot_16        | 95int      | InkSupplyInsertions_Total      | 1622int    |                                |             |

| Preventive Maintenance Usage              |       |
|-------------------------------------------|-------|
|                                           | Usage |
| lCarriage rod cleaning and lubricationl   | 0%    |
| l100 L maintenancel                       | 47%   |
| l50 L maintenancel                        | 94%   |
| l150L service maintenance - HP Latex 800l | 31%   |
| l450L service maintenance - HP Latex 800l | 10%   |

## Job Accounting

| Date                 | Job Name                             | Optimized for | Image Quality |
|----------------------|--------------------------------------|---------------|---------------|
| 2026-08-19T07:58:17Z | Service - maintenance                | Images        | Normal        |
| 2026-08-19T12:04:20Z | Service - maintenance                | Images        | Normal        |
| 2026-08-19T16:10:24Z | Service - maintenance                | Images        | Normal        |
| 2026-08-19T17:36:10Z | Service - recoverPens                | Images        | Normal        |
| 2026-08-19T10:44:40Z | 058-VDC-NewCab-TaxiWrap-NUMBERS-7526 | Images        | Normal        |
| 2026-08-19T21:54:57Z | Service - maintenance                | Images        | Normal        |
| 2026-08-20T02:01:01Z | Service - maintenance                | Images        | Normal        |
| 2026-08-20T06:07:04Z | Service - maintenance                | Images        | Normal        |
| 2026-08-20T10:13:11Z | Service - maintenance                | Images        | Normal        |
| 2026-08-20T14:19:15Z | Service - maintenance                | Images        | Normal        |

## Calibrations

| General Calibrations |        |
|----------------------|--------|
| Type                 | Status |
| ALIGNMENT            | VALID  |
| LS2K                 | VALID  |
| DROP_DETECTOR        | VALID  |
| ANALOG_ENCODER       | VALID  |

| Media Calibrations                      |               |            |         |              |         |             |
|-----------------------------------------|---------------|------------|---------|--------------|---------|-------------|
| Name                                    | Color         | Color Date | Advance | Advance Date | Length  | Length Date |
| Generic Canvas                          | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic PVC Dual Side Banner            | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| HP Photo Realistic                      | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit Polyester Film          | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Polyester Film                  | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Transparent Polyester Film      | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic PVC free Banner                 | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic PVC Banner                      | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit PVC Banner              | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit Paper                   | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Blueback Paper                  | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Coated Paper (more than 90 gsm) | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Uncoated Paper (up to 90 gsm)   | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Self-Adhesive Vinyl             | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit Self-Adhesive Vinyl     | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Cast Self-Adhesive Vinyl        | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Transparent Self-Adhesive Vinyl | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic PP & PE Synthetics              | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit PP & PE Synthetics      | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Textile                         | NOT_AVAILABLE |            | PENDING |              | PENDING |             |
| Generic Backlit Textile                 | NOT_AVAILABLE |            | PENDING |              | PENDING |             |

|                                |               |                      |           |         |
|--------------------------------|---------------|----------------------|-----------|---------|
| Stretchable Textile (up to 5%) | NOT_AVAILABLE |                      | PENDING   | PENDING |
| Generic Wallcovering Paper     | NOT_AVAILABLE |                      | PENDING   | PENDING |
| Generic Wallcovering Non-Woven | NOT_AVAILABLE |                      | PENDING   | PENDING |
| Generic Wallcovering Woven     | NOT_AVAILABLE |                      | PENDING   | PENDING |
| HP Backlit Polyester Film      | NOT_AVAILABLE |                      | CANCELLED | PENDING |
| 3M IJ35-10                     | OBSOLETE      | 2025-11-04T23:53:44Z | PENDING   | PENDING |
| 3M IJ180Cv3_w/OC               | OBSOLETE      | 1970-01-15T19:17:47Z | PENDING   | PENDING |
| 3M IJ180Cv3                    | OBSOLETE      | 2026-03-03T21:28:36Z | PENDING   | PENDING |
| 3M IJ35-10 NO OC               | OBSOLETE      | 2026-08-06T20:19:05Z | PENDING   | PENDING |

## Event Logs

| System Errors |                |                |                |
|---------------|----------------|----------------|----------------|
| Severity      | Error Code     | F/W Version    | Date           |
| error         | 0086-0010-0065 | PLS_63_25_47.1 | 20260717170621 |
| error         | 0086-0003-0059 | PLS_63_25_47.1 | 20260713182031 |
| error         | 0086-0010-0065 | PLS_63_25_47.1 | 20260619173855 |
| error         | 0086-0010-0065 | PLS_63_25_47.1 | 20260616213237 |
| error         | 0086-0010-0065 | PLS_63_25_47.1 | 20260616210026 |
| error         | 0086-0003-0059 | PLS_63_25_47.1 | 20260616203819 |
| error         | 0086-0010-0065 | PLS_63_25_47.1 | 20260616180601 |
| error         | 0086-0003-0059 | PLS_63_25_47.1 | 20260616165444 |
| error         | 0086-0003-0059 | PLS_63_25_47.1 | 20260616164924 |

| System Warnings |                |                |                |
|-----------------|----------------|----------------|----------------|
| Severity        | Error Code     | F/W Version    | Date           |
| information     | 0022-0008-0288 | PLS_65_26_18.1 | 20260817234209 |
| information     | 0022-0008-0288 | PLS_65_26_18.1 | 20260817223715 |
| information     | 0022-0012-0440 | PLS_65_26_18.1 | 20260807085126 |
| information     | 0022-0012-0440 | PLS_65_26_18.1 | 20260806031142 |
| information     | 0022-0008-0481 | PLS_65_26_18.1 | 20260804014347 |
| information     | 0022-0008-0487 | PLS_65_26_18.1 | 20260804014347 |
| information     | 0027-0001-0890 | PLS_65_26_18.1 | 20260803174119 |
| information     | 0027-0001-0890 | PLS_65_26_18.1 | 20260731174846 |
| information     | 0027-0001-0890 | PLS_65_26_18.1 | 20260729204830 |
| information     | 0027-0001-0890 | PLS_65_26_18.1 | 20260728185003 |
| information     | 0027-0001-0890 | PLS_65_26_18.1 | 20260728164657 |
| information     | 0022-0012-0440 | PLS_65_26_18.1 | 20260727125822 |
| information     | 0022-0012-0440 | PLS_65_26_18.1 | 20260726132528 |
| information     | 0022-0012-0440 | PLS_65_26_18.1 | 20260725131011 |
| information     | 0022-0012-0440 | PLS_63_25_47.1 | 20260724135844 |
| information     | 0027-0001-0890 | PLS_63_25_47.1 | 20260723211907 |
| information     | 0022-0012-0440 | PLS_63_25_47.1 | 20260723183503 |
| information     | 0027-0001-0890 | PLS_63_25_47.1 | 20260723182009 |

|             |                |                |                |
|-------------|----------------|----------------|----------------|
| information | 0022-0012-0440 | PLS_63_25_47.1 | 20260722204632 |
| information | 0027-0001-0890 | PLS_63_25_47.1 | 20260721201621 |

## Connectivity Configuration

```

=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
  URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
  Status: STATUS_DISABLED
  Error: DETAIL_DISABLED
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY

=====
===== Automatic Firmware Update =====
=====
URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw
Firmware Update Check: Automatic
Firmware Update Download: Automatic

=====
===== Internet Printing Protocol =====
=====
IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

=====
===== Jetdirect Page =====
----- General Information -----
Status: I/O Card Ready
Model Number: J8022E
Hardware Address: 48BA4EBD45A8
Firmware Version: x86_vega_fi.DRB
LAA: 48BA4EBD45A8
Port Config: 1000T FULL
Auto Negotiation: On
Manufacturing ID: *****00****-W
Build Date: 02/24/2026 11:14:20

----- Security Settings -----
802.1X: Not Specified
IPsec: Disabled
Secure Web: HTTPS Optional
Cert Expires: 2028-01-11 19:12 UTC
SNMP Versions: 1;2
SNMP Set Cmty Name: Not Specified
SNMP Get Cmty Name: Not Specified/Default
Access List: Not Specified
Admin Password: Not Specified

FIPS: Disabled

----- Network Statistics -----
Total Packets Received: 17137908
Unicast Packets Received: 12293849

----- TCP/IP -----
IPv4: Enabled
IPv6: Enabled
Host Name: SQFT-HP806
IPv4 Domain Name: Not Specified
IPv6 Domain Name: Not Specified
Primary DNS Server: 172.19.254.1
Secondary DNS Server: Not Specified
DNS(IPv6): Not Specified
WINS Server: Not Specified
TCP Idle Timeout: 3600 sec

----- IPv4 -----
Status: Ready

IP Address: 172.19.254.186
Subnet Mask: 255.255.255.0
Default Gateway: 172.19.254.1
Config By: Manual
BOOTP/DHCP Server: Not Specified
TFTP Server: Not Specified
Bonjour Service Name:
HP Latex 800 [BD45A8]

----- IPv6 -----
Status: Ready

```

Bad Packets Received: 0  
Total Packets Transmitted: 13653096  
Framing Errors Received: 0  
Unsendable Packets: 0  
Transmit Collisions: 0  
Transmit Late Collisions: 0

Link-Local:  
fe80::4aba:4eff:febd:45a8  
Stateless:  
2001:579:9324:1:4aba:4eff:febd:45a8

DHCPv6:  
Not Configured  
Manual:  
Not Configured