

Date:	2026-08-20T17:19:55Z	Product:	HP Latex 800	Serial Number:	
Firmware:	PLS_65_26_18.1	Product Number:	Y0U21A	Service ID:	32030
Upgrade Number:	0				

Current Media, Printhead and Ink Information

Paper Loaded Information			
Paper Path:	ROLL	Paper Loaded Status:	OK
Media Type:	3M IJ180Cv3		
Media Width:	1373 mm / 54.1 inches	Media Length:	Unknown

Paper Output Information			
	Status	Model	Serial Number
TUR	16416		

Current Printhead Kit Info (I)					
	Warranty status	Service Code	Status	Error ID Code	Product Number
1 - Optimizer-Optimizer	out_of_warranty	rbRCrRBTsYbJQOFH5sCHyw==	OK	524288	4UU94A
2 - Overcoat-Overcoat	out_of_warranty	8DDuG7EkX9PRshd3yQCw5Q==	OK	524288	4UV98A/4UU95A
3 - Black-Cyan	on_warranty	HUIgw5nR4hBJ7/8bnmY+JQ==	OK	0	4UV95A/4UU95A
4 - Black-Cyan	on_warranty	l5rbn1E+LgiwkriWpSJqEw==	OK	0	4UV95A/4UU95A
5 - Light cyan-Light magenta	out_of_warranty	ras3G4DAkeZMbHXXiGG2PA==	OK	524288	4UV97A/4UU95A
6 - Light cyan-Light magenta	out_of_warranty	n4REPy9mKGph5beQvyFYwA==	OK	524288	4UV97A/4UU95A
7 - Magenta-Yellow	out_of_warranty	tqTduwaopKm7AgG6KdCuBg==	OK	524288	4UV96A/4UU95A
8 - Magenta-Yellow	out_of_warranty	jQ2UQhBLITEnHRr+KrwDWA==	OK	524288	4UV96A/4UU95A

Current Printhead Kit Info (II)				
	Product Name	Serial Number	Last insertion	Warranty Date
1 - Optimizer-Optimizer	HP 836	320604252227382	2026-03-17T00:20:26Z	2027-06-19T00:00:00Z
2 - Overcoat-Overcoat	HP 836	320108230116100	2026-07-28T22:16:59Z	2025-01-22T00:00:00Z
3 - Black-Cyan	HP 836	350205261055300	2026-07-28T22:17:00Z	2028-02-20T00:00:00Z
4 - Black-Cyan	HP 836	350205261137006	2026-07-28T21:45:13Z	2028-02-20T00:00:00Z
5 - Light cyan-Light magenta	HP 836	321102241253239	2025-07-10T16:48:07Z	2026-11-13T00:00:00Z
6 - Light cyan-Light magenta	HP 836	320225252300138	2025-08-08T17:41:40Z	2027-03-20T00:00:00Z
7 - Magenta-Yellow	HP 836	320829241214482	2025-07-10T16:48:09Z	2026-09-18T00:00:00Z
8 - Magenta-Yellow	HP 836	320226250814179	2025-08-08T17:41:42Z	2027-03-27T00:00:00Z

Current Printhead Kit Info (III)				
	Used non-HP ink	Used expired ink	Ink Used (cc)	Warranty Spent
1 - Optimizer-Optimizer	false	false	4477.00	83%
2 - Overcoat-Overcoat	false	false	1307.00	100%
3 - Black-Cyan	false	false	406.00	100%
4 - Black-Cyan	false	false	358.00	100%
5 - Light cyan-Light magenta	false	false	12169.00	100%
6 - Light cyan-Light magenta	false	false	10321.00	100%
7 - Magenta-Yellow	false	false	16232.00	100%

8 - Magenta-Yellow	false	false	13854.00	100%
--------------------	-------	-------	----------	------

Current Printhead Kit Info (IV)			
	Usage Time (s)	Max. Recovery Level	Scan Axis Shutdown
1 - Optimizer-Optimizer	735823	3	0
2 - Overcoat-Overcoat	95626	2	0
3 - Black-Cyan	95245	2	0
4 - Black-Cyan	96805	2	0
5 - Light cyan-Light magenta	2077456	3	0
6 - Light cyan-Light magenta	2039026	3	0
7 - Magenta-Yellow	2081387	3	0
8 - Magenta-Yellow	2044353	3	0

Current Ink Cartridge Info (I)						
	Status	Product Name	Product Number	Serial Number	Service Code	Install Date
1 - Cyan	OK	HP 873	4UV85A	520250321174923	zQF7cMwIMQQjPkyMpBcxw==	2026-05-28T00:00:00Z
2 - Magenta	OK	HP 873	4UV86A	590251213104440	GTmMIyXMnxdufrZa5sryQ==	2026-06-18T00:00:00Z
3 - Yellow	OK	HP 873	4UV87A	530250722034613	nXqgbczt990aqMLJVZA4gw==	2026-07-23T00:00:00Z
4 - Black	OK	HP 873	4UV84A	590251209224205	sbLxaVR3+McykvAT2TDqqg==	2026-07-09T00:00:00Z
5 - Light cyan	Very low level	HP 873	4UV88A	530250226231406	u/6i67M6vdBDUbuWpW/MbQ==	2026-04-16T00:00:00Z
6 - Light magenta	OK	HP 873	4UV89A	590251228044139	GE7RZa4kVywThaSxzzoLrA==	2026-07-16T00:00:00Z
7 - Optimizer	OK	HP 873	4UV90A	590260128184209	V27vAB9f37h/YI/yUJk42g==	2026-07-23T00:00:00Z
8 - Overcoat	OK	HP 873	4UV91A	590260126124103	pbI3paeWKElHWwQCZXLWAA==	2026-07-23T00:00:00Z

Current Ink Cartridge Info (II)						
	Expiration Date	End of warranty	Manufacturer	Capacity (cc)	Level (cc)	Used non-HP Ink
1 - Cyan	2026-09-18T17:49:26Z	2026-09-18T17:49:26Z	HP	3000	1560	false
2 - Magenta	2027-06-12T10:44:41Z	2027-06-12T10:44:41Z	HP	3000	2070	false
3 - Yellow	2027-01-26T03:46:15Z	2027-01-26T03:46:15Z	HP	3000	1560	false
4 - Black	2027-06-15T22:42:06Z	2027-06-15T22:42:06Z	HP	3000	2040	false
5 - Light cyan	2026-08-26T23:14:08Z	2026-08-26T23:14:08Z	HP	3000	90	false
6 - Light magenta	2027-06-27T04:41:40Z	2027-06-27T04:41:40Z	HP	3000	2520	false
7 - Optimizer	2027-08-04T18:42:10Z	2027-08-04T18:42:10Z	HP	3000	2460	false
8 - Overcoat	2027-07-26T12:41:04Z	2027-07-26T12:41:04Z	HP	3000	2550	false

Printer Usage Information

Printer Usage		
Total printed media:	28538203.66sqi/13276.90m	Total number of prints: 5246

Usage per Printhead Slot			
Slot 0	Color	Product Number	Printheads Used
	Optimizer-Optimizer	4UU94A	7
			Total Insertions 1

Slot 1	Overcoat-Overcoat	4UV98A/4UU95A	4	1
Slot 2	Black-Cyan	4UV95A/4UU95A	6	1
Slot 3	Black-Cyan	4UV95A/4UU95A	8	1
Slot 4	Light cyan-Light magenta	4UV97A/4UU95A	3	1
Slot 5	Light cyan-Light magenta	4UV97A/4UU95A	4	1
Slot 6	Magenta-Yellow	4UV96A/4UU95A	2	2
Slot 7	Magenta-Yellow	4UV96A/4UU95A	4	1

Usage per Cartridge Slot			
	Product Number	Usage (cc)	Total Insertions
0 - Cyan	4UV85A	38176.61	15
1 - Magenta	4UV86A	40733.28	20
2 - Yellow	4UV87A	53350.00	12
3 - Black	4UV84A	37492.84	18
4 - Light cyan	4UV88A	27407.36	5
5 - Light magenta	4UV89A	30210.56	12
6 - Overcoat	4UV91A	90341.20	69
7 - Optimizer	4UV90A	39938.33	14
8 - Light cyan		0.30	0
9 - Magenta		0.58	0
10 - Overcoat		2.33	0
11 - Yellow		0.37	0
12 - Optimizer		0.57	0
13 - Light magenta		0.33	0
14 - Cyan		0.43	0
15 - Black		0.13	0
16 - Cyan	n/a	0.00	0
17 - Cyan	4UV55A	0.00	0
18 - Cyan	4UV39A	0.00	0
19 - Magenta	n/a	0.00	0
20 - Magenta	4UV94A	0.00	0
21 - Magenta	4UV56A	0.00	0
22 - Magenta	4UV40A	0.00	0
23 - Yellow	n/a	0.00	0
24 - Yellow	4UV57A	0.00	0
25 - Yellow	4UV41A	0.00	0
26 - Black	n/a	0.00	0
27 - Black	4UV54A	0.00	0
28 - Black	4UV38A	0.00	0
29 - Light cyan	n/a	0.00	0
30 - Light cyan	B1PS3A	0.00	0
31 - Light cyan	4UV58A	0.00	0
32 - Light magenta	n/a	0.00	0
33 - Light magenta	B1PS4A	0.00	0
34 - Light magenta	4UV59A	0.00	0
35 - Optimizer	n/a	0.00	0
36 - Optimizer	B1PS5A	0.00	0

37 - Optimizer	4UV60A	0.00	0
38 - Overcoat	n/a	0.00	0
39 - Overcoat	B1PS6A	0.00	0
40 - Overcoat	4UV61A	0.00	0

Media Usage per Media Type	
Generic PVC Banner	269313.84sqi/122.90m
Generic Backlit PVC Banner	10639.45sqi/4.43m
Generic Self-Adhesive Vinyl	928789.58sqi/415.67m
Generic Transparent Self-Adhesive Vinyl	27755.84sqi/13.06m
Generic Backlit Self-Adhesive Vinyl	30596.77sqi/13.45m
Generic Coated Paper (more than 90 gsm)	304717.27sqi/143.13m
HP Photo Realistic	18466.23sqi/8.67m
Generic Backlit Paper	3091.26sqi/1.46m
Gloss Poster Paper	287056.68sqi/134.79m
HP Backlit Polyester Film	331578.66sqi/157.21m
Antalis International Coala Magnetic Printable PET	1102.64sqi/1.13m
Generic Polyester Film	1890.26sqi/1.94m
Blockout DS Banner 15oz	145273.00sqi/67.90m
Double sided banner	2046.85sqi/0.79m
Contra Vision Performance Perforated W-B Universal Liner	1337.94sqi/1.27m
Generic Backlit Self-Adhesive Vinyl	12956.92sqi/6.09m
Natura Solvent PP Banner Matte	101426.63sqi/58.45m
Arlon DPF-510GT	979085.77sqi/457.83m
3M IJ180Cv3	14185961.13sqi/6545.41m
HP 13-oz Prime Gloss Banner	57848.33sqi/27.14m
3M IJ35-10	10759976.91sqi/5059.12m
arlon	77291.68sqi/35.05m

Component Usage					
150LMaintenanceInkConsumed	5434898ul	450LMaintenanceInkConsumed	358712544ul	900LMaintenanceInkConsumed	358712544ul
BeltScanAxisCycles	2126369int	BeltTensionerScanAxisCycles	2126369int	BushingsScanAxisCycles	2126369int
CableScanAxisCycles	2126369int	CarriageBearingsScanAxisCycles	2126369int	CleanPlasticNeedlesWorkingTime	0h
CleanPlatenInkConsumed	10572539ul	ColorCalibrationExecutions	20int	ColorSensorWorkingTime	0h
CuringCleaningInkConsumed	5434898ul	CuringHeatersInkConsumed	358712544ul	CutterAndLinearBladeLength	921m
CutterAndLinearBladeScanAxisCycles	296int	DriveRollerPaperLength	28991m	DropDetectorWorkingTime	6h
EncoderStripCleaningInkConsumed	10572539ul	EncoderStripCleaningMcReplace	0int	EncoderStripInkConsumed	344239544ul
MotorScanAxisCyclesS	2126369int	OilCarriageRodScanAxisCycles	84169int	OilerReplaceInkConsumed	10572539ul
OilerReplacementScanAxisCycles	84169int	PaperDriveMotorPaperLength	28991m	PensOnOffCycles	89849int
PinchWheelDistance	18601m	PixartMediaAdvanceLength	23431m	PluggedTime	37208h
PowerOffCycles	0int	PowerOnCycles	285int	RecirculationCoverInkConsumed	358712544ul
RollSwitchesNumber	0int	ScanAxisCoveredDistance	4274436m	SleepingTime	32465h
SvsCycles	373107int	TetrisSensorWorkingTime	0h	TotalInkConsumed	358712544ul
TubesScanAxisCycles	2126369int	WhiteInkConsumed	0ul	WorkingTime	1028h
InkSupplyInsertions_Slot_1	148int	InkSupplyInsertions_Slot_2	148int	InkSupplyInsertions_Slot_3	142int
InkSupplyInsertions_Slot_4	142int	InkSupplyInsertions_Slot_5	143int	InkSupplyInsertions_Slot_6	143int
InkSupplyInsertions_Slot_7	142int	InkSupplyInsertions_Slot_8	142int	InkSupplyInsertions_Slot_9	136int

InkSupplyInsertions_Slot_10	136int	InkSupplyInsertions_Slot_11	138int	InkSupplyInsertions_Slot_12	138int
InkSupplyInsertions_Slot_13	177int	InkSupplyInsertions_Slot_14	177int	InkSupplyInsertions_Slot_15	155int
InkSupplyInsertions_Slot_16	155int	InkSupplyInsertions_Total	2362int		

Preventive Maintenance Usage	
	Usage
Carriage rod cleaning and lubrication	0%
100 L maintenancel	10%
50 L maintenancel	21%
150L service maintenance - HP Latex 800	3%
450L service maintenance - HP Latex 800	79%

Job Accounting

Date	Job Name	Optimized for	Image Quality
2026-08-19T07:30:52Z	Service - maintenance	Images	Normal
2026-08-19T11:36:54Z	Service - maintenance	Images	Normal
2026-08-19T15:42:58Z	Service - maintenance	Images	Normal
2026-08-19T19:49:02Z	Service - maintenance	Images	Normal
2026-08-19T20:31:30Z	Service - NOZZLE_HEALTH	Images	Normal
2026-08-20T00:34:56Z	Service - maintenance	Images	Normal
2026-08-20T04:41:22Z	Service - maintenance	Images	Normal
2026-08-20T08:47:48Z	Service - maintenance	Images	Normal
2026-08-20T12:54:14Z	Service - maintenance	Images	Normal
2026-08-20T17:00:41Z	Service - maintenance	Images	Normal

Calibrations

General Calibrations	
Type	Status
ALIGNMENT	VALID
LS2K	VALID
DROP_DETECTOR	VALID
ANALOG_ENCODER	VALID

Media Calibrations						
Name	Color	Color Date	Advance	Advance Date	Length	Length Date
Generic Canvas	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Dual Side Banner	NOT_AVAILABLE		PENDING		PENDING	
HP Photo Realistic	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic Transparent Polyester Film	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC free Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit PVC Banner	NOT_AVAILABLE		PENDING		PENDING	
Generic Backlit Paper	NOT_AVAILABLE		PENDING		PENDING	
Generic Blueback Paper	NOT_AVAILABLE		PENDING		PENDING	

Generic Coated Paper (more than 90 gsm)	NOT_AVAILABLE		PENDING	PENDING
Generic Uncoated Paper (up to 90 gsm)	NOT_AVAILABLE		PENDING	PENDING
Generic Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic Backlit Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic Cast Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic Transparent Self-Adhesive Vinyl	NOT_AVAILABLE		PENDING	PENDING
Generic PP & PE Synthetics	NOT_AVAILABLE		PENDING	PENDING
Generic Backlit PP & PE Synthetics	NOT_AVAILABLE		PENDING	PENDING
Generic Textile	NOT_AVAILABLE		PENDING	PENDING
Generic Backlit Textile	NOT_AVAILABLE		PENDING	PENDING
Stretchable Textile (up to 5%)	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Paper	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Non-Woven	NOT_AVAILABLE		PENDING	PENDING
Generic Wallcovering Woven	NOT_AVAILABLE		PENDING	PENDING
3M IJ35-10	OBSOLETE	2023-08-20T20:01:24Z	PENDING	PENDING
HP Backlit Polyester Film	NOT_AVAILABLE		CANCELLED	PENDING
3M IJ180Cv3	OBSOLETE	2026-07-28T18:30:05Z	PENDING	PENDING

Event Logs

System Errors			
Severity	Error Code	F/W Version	Date
error	0086-0001-0010	PLS_65_26_18.1	20260728163527
error	0021-0001-0059	PLS_63_25_47.1	20260715181455
error	0021-0001-0059	PLS_63_25_47.1	20260521231943

System Warnings			
Severity	Error Code	F/W Version	Date
information	0022-0012-0440	PLS_65_26_18.1	20260818024039
information	0022-0012-0440	PLS_65_26_18.1	20260812192338
warning	0065-0002-0008	PLS_65_26_18.1	20260812185251
information	0065-0040-0016	PLS_65_26_18.1	20260812185237
information	0022-0012-0440	PLS_65_26_18.1	20260812040554
information	0022-0012-0440	PLS_65_26_18.1	20260808111536
information	0022-0008-0881	PLS_65_26_18.1	20260729032146
information	0022-0008-0887	PLS_65_26_18.1	20260729032146
warning	0086-0010-0085	PLS_65_26_18.1	20260729030509
information	0065-0040-0084	PLS_65_26_18.1	20260728181612
information	0065-0040-0084	PLS_65_26_18.1	20260728181501
information	0065-0040-0084	PLS_65_26_18.1	20260728181407
warning	0058-0001-0001	PLS_65_26_18.1	20260728163447
warning	0065-0002-0008	PLS_65_26_18.1	20260727203932
information	0065-0040-0016	PLS_65_26_18.1	20260727203909
information	0021-0004-0017	PLS_65_26_18.1	20260727200536
warning	0021-0001-0090	PLS_65_26_18.1	20260724232957

warning	0021-0020-0017	PLS_65_26_18.1	20260724200723
information	0021-0020-0007	PLS_65_26_18.1	20260724184442
information	0065-0040-0016	PLS_63_25_47.1	20260719194544

Connectivity Configuration

```

=====
===== Network Settings =====
=====
Interface: PRIMARY_WIRED
  Preferred interface: Yes
  Proxy status: AUTO
  Proxy URL:
  Proxy port: 28492
  Proxy authentication needed: Yes

=====
===== IO Diagnostics =====
=====
Diagnostic: NetworkConfig
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_PRIMARY_WIRED
Diagnostic: ConnectivityToHP
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
  URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw/HP.mnf
Diagnostic: Cloud
  Status: STATUS_DISABLED
  Error: DETAIL_DISABLED
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AFU
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY
Diagnostic: AutosendAll
  Status: STATUS_OK
  Error: DETAIL_OK
  Action: ACTION_NOTHING
  Interface: INTERFACE_DOESNT_APPLY

=====
===== Automatic Firmware Update =====
=====
URL: http://h19002.www1.hp.com/pub/hpdesignjet/updates/fw
Firmware Update Check: Automatic
Firmware Update Download: Automatic

=====
===== Internet Printing Protocol =====
=====
IPP Status: Enabled (IPP & IPPS)
Airprint Status: Enabled

=====
===== Jetdirect Page =====
----- General Information -----
Status: I/O Card Ready
Model Number: J8022E
Hardware Address: 48BA4EBD19A4
Firmware Version: x86_vega_fi.DRB
LAA: 48BA4EBD19A4
Port Config: 1000T FULL
Auto Negotiation: On
Manufacturing ID: *****00****-W
Build Date: 02/24/2026 11:14:20

----- Security Settings -----
802.1X: Not Specified
IPsec: Disabled
Secure Web: HTTPS Required
Cert Expires: 2028-08-18 18:39 UTC
SNMP Versions: 1;2
SNMP Set Cmty Name: Not Specified
SNMP Get Cmty Name: Not Specified/Default
Access List: Not Specified
Admin Password: Not Specified
FIPS: Disabled

----- Network Statistics -----

----- TCP/IP -----
IPv4: Enabled
IPv6: Enabled
Host Name: HPBD19A4
IPv4 Domain Name: Not Specified
IPv6 Domain Name: Not Specified
Primary DNS Server: 172.19.254.1
Secondary DNS Server: Not Specified
DNS(IPv6): Not Specified
WINS Server: Not Specified
TCP Idle Timeout: 270 sec

----- IPv4 -----
Status: Ready
IP Address: 172.19.254.188
Subnet Mask: 255.255.255.0
Default Gateway: 172.19.254.1
Config By: Manual
BOOTP/DHCP Server: Not Specified
TFTP Server: Not Specified
Bonjour Service Name:
HP Latex 800 [BD19A4]

```

Total Packets Received: 18010758
Unicast Packets Received: 13810529
Bad Packets Received: 0
Total Packets Transmitted: 12632718
Framing Errors Received: 0
Unsendable Packets: 0
Transmit Collisions: 0
Transmit Late Collisions: 0

----- IPv6 -----
Status: Ready

Link-Local:
fe80::4aba:4eff:febd:19a4
Stateless:
2001:579:9324:1:4aba:4eff:febd:19a4

DHCPv6:
Not Configured
Manual:
Not Configured